



**PROPOSED
NEGATIVE DECLARATION**
18-Unit Multi-Family Residential Project
366-372 Burchett Street

The following Negative Declaration has been prepared in accordance with the California Environmental Quality Act of 1970 as amended, the State Guidelines, and the Environmental Guidelines and Procedures of the City of Glendale.	
Project Title/Common Name:	18-Unit Multi-Family Residential Project
Project Location:	366-372 Burchett Street, Glendale, Los Angeles County
Project Description:	The proposed project involves the development of a new 3-story, 18-unit, multi-family dwelling complex, 36 feet high. The project will provide 45 parking spaces in a semi-subterranean parking garage. This project will require Design Review Board approval for the design. The Planning Commission approval is required for a tract map/condominium.
Project Type:	<input checked="" type="checkbox"/> Private Project <input type="checkbox"/> Public Project
Project Applicant:	366-372 Burchett Street, LLC 20650 Prairie Street Chatsworth, CA 91311-6008
Findings:	The Director of the Community Development, on <u>July 1, 2014</u> , after considering an Initial Study prepared by the Planning and Neighborhood Services Division, found that the above referenced project would not have a significant effect on the environment and instructed that a Negative Declaration be prepared.
Mitigation Measures:	No mitigation measures are required.
Attachments:	Initial Study Checklist
Contact Person:	Hassan Haghani, Director of Community Development City of Glendale Community Development Department 633 East Broadway Room 103 Glendale, CA 91206-4386 Tel: (818) 548-2140; Fax: (818) 240-0392

This page left intentionally blank.



INITIAL STUDY CHECKLIST
 18-Unit Multi-Family Residential Project
 366-372 Burchett Street

1.	Project Title: 18-Unit Multi-Family Residential Project
2.	Lead Agency Name and Address: City of Glendale Community Development Department Planning and Neighborhood Services Division 633 East Broadway, Room 103 Glendale, CA 91206
3.	Contact Person and Phone Number: Rathar Duong, Planner Tel: (818) 937-8185 Fax: (818) 240-0392
4.	Project Location: 366-372 Burchett Street, Glendale, Los Angeles County
5.	Project Sponsor's Name and Address: 366-372 Burchett Street, LLC 20650 Prairie Street Chatsworth, CA 91311-6008
6.	General Plan Designation: High Density Residential
7.	Zoning: R-1250 (High Density Residential) Zone
8.	Description of the Project: (Describe the whole action involved, including but not limited to, later phases of the project, and any secondary support or off-site features necessary for its implementation.) The proposed project involves the development of a new 3-story, 18-unit, multi-family dwelling complex, 36 feet high. The project will provide 45 parking spaces in a semi-subterranean parking garage. This project will require Design Review Board approval for the design. The Planning Commission approval is required for a tract map/condominium.
9.	Surrounding Land Uses and Setting: <u>North:</u> Multi-family Residential Uses <u>South:</u> 134 (Ventura) Freeway <u>East:</u> Multi-family Residential Uses <u>West:</u> Multi-family Residential Uses
10.	Other public agencies whose approval is required (e.g., permits, financing approval or participation agreement). None

11. Environmental Factors Potentially Affected:

The environmental factors checked below would be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact," as indicated by the checklist on the following pages.

- | | | |
|---|--|---|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agricultural and Forest Resources | <input type="checkbox"/> Air Quality |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Geology / Soils |
| <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials | <input type="checkbox"/> Hydrology / Water Quality |
| <input type="checkbox"/> Land Use / Planning | <input type="checkbox"/> Mineral Resources | <input type="checkbox"/> Noise |
| <input type="checkbox"/> Population / Housing | <input type="checkbox"/> Public Services | <input type="checkbox"/> Recreation |
| <input type="checkbox"/> Transportation / Traffic | <input type="checkbox"/> Utilities / Service Systems | <input type="checkbox"/> Mandatory Findings of Significance |


LEAD AGENCY DETERMINATION:

On the basis of this initial evaluation:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.


Prepared by: 

Date: JULY 1, 2014

Reviewed by: 

Date: 7/1/14

Signature of Director of Community Development or his or her designee authorizing the release of environmental document for public review and comment.

Director of Community Development: 

Date: 7-1-14

12. Environmental Factors Potentially Affected:

The following section provides an evaluation of the impact categories and questions contained in the checklist and identifies mitigation measures, if applicable.

A. AESTHETICS

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Have a substantial adverse effect on a scenic vista?				X
2. Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?				X
3. Substantially degrade the existing visual character or quality of the site and its surroundings?			X	
4. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?				X

1) Have a substantial adverse effect on a scenic vista?

No Impact. The project site is located within a highly urbanized area of the City. The project site is comprised of two adjoining lots that are currently developed with a total of eight units: two units at 366 Burchett Street and six units at 372 Burchett Street. The site has a flat topography and is surrounded by other multi-level apartment buildings as well as the 134 Freeway along the rear (south). No scenic vistas, as identified in the Open Space and Conservation Element (January 1993), exist within or in proximity to the project site. Therefore, no impacts to scenic vistas would result from project implementation.

Mitigation Measures: No mitigation measures are required.

2) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

No Impact. No state scenic highway is located adjacent to or within view of the project site. No impacts to scenic resources within a State scenic highway would occur. The project site is currently developed with four buildings containing a total of eight residential units. These buildings are designed in the Craftsman style and were constructed in 1923, 1952, and 1959 and have been evaluated for historic significance and all have been deemed not eligible for historic listing. As such, no historic buildings will be impacted by the proposed project.

Mitigation Measures: No mitigation measures are required.

3) Substantially degrade the existing visual character or quality of the site and its surroundings?

Less Than Significant Impact. The project site is currently developed and surrounded by other multi-family buildings. The proposed construction of a new 3-story multi-unit, residential building would be consistent with this area and zoning designation of the project site and development pattern in the neighborhood. Although the neighborhood contains some remaining single-family residences, many of the buildings on this street are developed as multi-family dwelling ranging from 18 to 70 units on consolidated lots. These buildings are generally two-three stories high.

In order to construct the proposed project, the three existing buildings on the project site will be demolished. The project will be reviewed by the Design Review Board in regard to the site planning, mass and scale, architecture, materials, and landscaping to ensure the project's design is compatible with the surrounding built environment. Impacts to visual character are anticipated to be less than significant given the project review processes, the location of the lot, and existing neighboring structures in the same area.

Mitigation Measures: No mitigation measures are required.

4) **Create a new source of substantial light or glare, which would adversely affect day or nighttime views in the area?**

No Impact. Day and nighttime lighting for the project would only represent a slight increase and would be similar to the existing multi-family buildings within the project vicinity. Therefore, no impacts associated with day and nighttime lighting are anticipated to occur as a result of the proposed project.

B. AGRICULTURE AND FOREST RESOURCES

<p><i>In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department of Conservation as an optional model to use in assessing impacts on agriculture and farmland. Would the project. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and the forest carbon measurement methodology provided in the Forest Protocols adopted by the California Air Resources Board. Would the project:</i></p>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
<p>1. Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?</p>				X
<p>2. Conflict with existing zoning for agricultural use, or a Williamson Act contract?</p>				X
<p>3. Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)) or timberland (as defined in Public Resources Code section 4526)?</p>				X
<p>4. Result in the loss of forest land or conversion of forest land to non-forest use?</p>				X
<p>5. Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?</p>				X

1) **Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?**

No Impact. There is no prime farmland, unique farmland, or farmland of statewide importance within or adjacent to the proposed project site and no agricultural activities take place on the project site. No agricultural use zones currently exist within the city, nor are any agricultural zones proposed. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

2) **Conflict with existing zoning for agricultural use, or a Williamson Act contract?**

No Impact. The project site is located in an urbanized area. No portion of the project site is proposed to include agricultural zoning designations or uses, nor do any such uses exist within the city under the current General Plan and zoning. There are no Williamson Act contracts in effect for the project site or surrounding vicinity. No conflicts with existing zoning for agricultural use or Williamson Act contract would result. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

3) **Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)) or timberland (as defined in Public Resources Code section 4526)?**

No Impact. There is no existing zoning of forest land or timberland in the City of Glendale. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

4) **Result in the loss of forest land or conversion of forest land to non-forest use?**

No Impact. There is no forest land within the City of Glendale. No forest land would be converted to non-forest use under the proposed project. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

5) **Involve other changes in the existing environment, which, due to their location or nature, could result in conversion of farmland to non-agricultural use or conversion of forest land to non-forest use?**

No Impact. There is no farmland or forest land in the vicinity of or on the proposed project site. No farmland would be converted to non-agricultural use and no forest land would be converted to non-forest use under the proposed project. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

C. **AIR QUALITY**

Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Conflict with or obstruct implementation of the applicable air quality plan?			X	
2. Violate any air quality standard or contribute substantially to an existing or projected air quality violation?			X	
3. Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing			X	

<i>Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
emissions which exceed quantitative thresholds for ozone precursors)?				
4. Expose sensitive receptors to substantial pollutant concentrations?			X	
5. Create objectionable odors affecting a substantial number of people?			X	

1) **Conflict with or obstruct implementation of the applicable air quality plan?**

Less Than Significant Impact. The project is located in the South Coast Air Quality Management District (SCAQMD), which recently approved the 2012 Air Quality Management Plan (AQMP). The purpose of the AQMP is to set forth a comprehensive and integrated program that will lead the Basin into compliance with the federal 24-hour PM2.5 air quality standard, and to provide an update to the Basin's commitments towards meeting the federal 8-hour ozone standards. Projects that are considered to be consistent with the AQMP do not interfere with attainment and do not contribute to exceeding an existing air quality violation because this growth is included in the projections utilized in the formulation of the AQMP. Therefore, projects, uses, and activities that are consistent with the applicable assumptions used in the development of the AQMP would not jeopardize attainment of the air quality levels identified in the AQMP, even if they exceed the SCAQMD's recommended thresholds.

The project would not increase population figures over those that have been planned for the area and would be consistent with the AQMP forecasts. Therefore, the project would be consistent with the air quality-related regional plans, and should not jeopardize attainment of state and federal ambient air quality standards.

Another measurement tool in determining AQMP consistency is to determine how a project accommodates the expected increase in population and employment. Generally, if a project is planned in such a way that results in the minimization of vehicle miles traveled both within the project and in the community in which it is located, and consequently the minimization of air pollutant emissions, it would be consistent with the AQMP. The project site is located in close proximity to several modes of public transportation, which could accommodate a portion of the project-generated trips. As a result, vehicle miles traveled and, consequently, air pollutant emissions from mobile sources, would be reduced from the proximity to existing transit facilities. No significant impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

2) **Violate any air quality standard or contribute substantially to an existing or projected air quality violation?**

Less Than Significant Impact. The URBEMIS2007 Environmental Management Software was used to estimate the emissions associated with construction and operation of the proposed project. URBEMIS2007 is a land use and transportation based computer model designed to estimate regional air emissions from new land use development projects. The model accounts for certain meteorological conditions that characterize specific air basins in California. The model was developed by the California Air Resources Board (CARB) and is approved for use by the SCAQMD.

The URBEMIS2007 emission calculations assume the use of standard construction practices, such as compliance with SCAQMD Rule 403 (Fugitive Dust), to minimize the generation of fugitive dust, which is mandatory for all construction projects. In the URBEMIS2007 model, the emission

calculations take into account compliance with Rule 403 by incorporating the measures below. Rule 403 contains other best available control measures to minimize fugitive dust emissions; however, they are not accounted for in the URBEMIS2007 model.

- Watering of exposed surfaces and unpaved roads three times daily, which is estimated to reduce fugitive dust emissions from this source (PM10 and PM2.5) by 61 percent, per guidance from the SCAQMD; and
- Use of soil stabilization measures during equipment loading and unloading, which is estimated to reduce fugitive dust emissions from this source (PM10 and PM2.5) by 69 percent, per guidance from the SCAQMD.

The project's construction information was entered into the model to estimate construction emissions. Based on the model run, construction of the project would not exceed the SCAQMD thresholds of significance for construction.

Area sources emissions would be generated during the consumption of natural gas for space and water heating devices, by natural gas fireplaces, and during the operation of gasoline-powered landscape maintenance equipment and use of consumer products (e.g., hair spray, deodorants, lighter fluid, air fresheners, automotive products, and household cleaners). Mobile source emissions would be generated by the motor vehicles traveling to and from the project site.

Area and mobile source emissions were estimated using URBEMIS2007. The project's land uses were entered into the model to estimate area source emissions. It was assumed that all buildings would combust natural gas. Based on the URBEMIS2007 model run, the project would not exceed the SCAQMD thresholds of significance for construction or operations. Therefore, no significant impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

- 3) ***Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emission, which exceed quantitative thresholds for ozone precursors)?***

Less Than Significant Impact. As indicated in the air quality model run described above, the proposed project would not result in a cumulatively considerable net increase of any criteria pollutant. No significant impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 4) ***Expose sensitive receptors to substantial pollutant concentrations?***

Less than Significant Impact. As indicated in the model run performed for this project, no construction or operational impacts are anticipated. Therefore, the project would not expose sensitive receptors to a substantial pollutant concentration; impacts are considered less than significant.

Mitigation Measures: No mitigation measures are required.

- 5) ***Create objectionable odors affecting a substantial number of people?***

Less Than Significant Impact. Construction activity associated with the proposed project may generate detectable odors. However, any detectable odors would be associated with initial construction and would be considered short-term. Significant long-term odor impacts are not anticipated to occur from the project since it is a residential use. No significant impacts would occur.

Mitigation Measures: No mitigation measures are required.

D. BIOLOGICAL RESOURCES

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?				X
2. Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?				X
3. Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?				X
4. Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?				X
5. Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?				X
6. Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?				X

- 1) ***Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?***

No Impact. The proposed project is located in an area that has been urbanized for many years. The area was originally developed with single-family residences dating back to the early 1920's and later redeveloped with multi-family residential buildings. As such, natural vegetation does not exist on site. Existing trees in the area are limited to street trees and on the project site. The site is surrounded by developed properties and is unsuitable for use as wildlife habitat due to existing urban intrusion. The subject site is also located in one of the densest areas of the city. Directly behind the project site is the 134 (Ventura) Freeway, which is a significant barrier to any wildlife movement. No wildlife species other than those which can tolerate human activity and/or are typically found in urban environments are known to exist onsite. These human-tolerant species are neither sensitive, threatened, nor endangered. Similarly, there are no oak, bay, or sycamore trees on the lot or within 20 feet of the lot. Implementation of the project would not result in any impact to species identified as endangered, threatened, sensitive or being of special concern by the California Department of Fish and Game or the United States Fish and Wildlife Service. The site does not provide suitable habitat for endangered or rare species. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 2) ***Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?***

No Impact. The proposed project is located in an area that has been highly urbanized for many years. No riparian habitat and/or other sensitive natural communities are present within the vicinity, and no such areas are present onsite or adjacent to the project site. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 3) ***Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?***

No Impact. The proposed project is located in an area that has been heavily urbanized for many years. No federally protected wetlands are present within the vicinity, and no such areas are present onsite or adjacent to the project site. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 4) ***Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?***

No Impact. The proposed project is located in an area that has been urbanized for many years. The area has been substantially modified by human activity. All lots surrounding the subject property have been developed. Implementation of the proposed project will not interfere with the movement of native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 5) ***Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?***

No Impact. The proposed project lies within an area that has been heavily urbanized for many years. No protected biological resources are present onsite, as the subject lot and the surrounding area are developed with a variety of multi-family housing as well as some single-family residences. Similarly, there are no indigenous trees, as defined pursuant to Chapter 12.44 of the Glendale Municipal Code (GMC), located on the project site. Implementation of the proposed project will not conflict with any local policy designed to protect biological resources. No impacts would occur. Also, please refer to Responses D-1 through D-4 above.

- 6) ***Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?***

No Impact. No Habitat Conservation Plan, Natural Community Conservation Plan, or other approved habitat conservation plan has been adopted to include the project site. Therefore, the project would not conflict with any such plans. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

E. CULTURAL RESOURCES

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines §15064.5?			X	
2. Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines §15064.5?				X
3. Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?				X
4. Disturb any human remains, including those interred outside of formal cemeteries?				X

1) ***Cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines §15064.5?***

Less Than Significant Impact. The project site is currently developed with several buildings containing a total of eight residential units. 366 Burchett Street contains a duplex in one building construction in 1923 and a detached garage, while 372 Burchett Street contains a total six units in two buildings constructed in 1952 and 1959. These buildings have been modified, such as the removal of wood siding for stucco. As determined by staff, the existing buildings are not eligible for listing at either the federal, state or local level. Therefore, no significant impacts would occur.

Mitigation Measures: No mitigation measures are required.

2) ***Cause a substantial adverse change in the significance of an archaeological resource pursuant to CEQA Guidelines §15064.5?***

No Impact. The project site has already been developed and disrupted. Any archaeological resources, which may have existed at one time (on or beneath the site), have likely been previously disturbed. Nonetheless, construction activities associated with project implementation would have the potential to unearth undocumented resources. In the event that archaeological resources are unearthed during project subsurface activities, all earth-disturbing work within a 100-meter radius (328 feet) must be temporarily suspended or redirected until an archaeologist has evaluated the nature and significance of the find. After the find has been appropriately mitigated, work in the area may resume. With implementation of this standard requirement, no impact would occur.

Mitigation Measures: No mitigation measures are required.

3) ***Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?***

No Impact. The project site has already been subject to disruption and development. Any superficial paleontological resources which may have existed at one time on the project site have likely been previously unearthed by past development activities. Nonetheless, there is a possibility that paleontological resources may exist at deep levels and could be unearthed with implementation of the proposed project. In the event that paleontological resources are unearthed during the proposed project-related subsurface activities, all earth-disturbing work within a 100-meter radius (328 feet) must be temporarily suspended or redirected until a paleontologist has evaluated the nature and

significance of the find. After the find has been appropriately mitigated, work in the area may resume. With implementation of this standard requirement, no impact would occur.

Mitigation Measures: No mitigation measures are required.

4) **Disturb any human remains, including those interred outside of formal cemeteries?**

No Impact. No known burial sites exist within the vicinity of the project site or surrounding area. Nonetheless, if human remains are encountered during excavation and grading activities, State Health and Safety Code Section 7050.5 requires that no further disturbance shall occur until the County coroner has made the necessary findings as to origin and disposition pursuant to Public Resources Code Section 5097.98. If the remains are determined to be of Native American descent, the coroner has 24 hours to notify the Native American Heritage Commission (NAHC). The NAHC will then contact the most likely descendant of the deceased Native American, who will then serve as a consultant on how to proceed with the remains (i.e., avoid removal or reburial). With implementation of this standard requirement, no impact would occur.

Mitigation Measures: No mitigation measures are required.

F. **GEOLOGY AND SOILS**

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.			X	
ii) Strong seismic ground shaking?			X	
iii) Seismic-related ground failure, including liquefaction?				X
iv) Landslides?				X
2. Result in substantial soil erosion or the loss of topsoil?			X	
3. Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?			X	
4. Be located on expansive soil, as defined in Table 18-1-B of the California Building Code (2001), creating substantial risks to life or property?			X	
5. Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?				X

1) **Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:**

i) **Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.**

Less Than Significant Impact. The project site is not within an established Alquist-Priolo Fault Zone for surface fault rupture hazards. Based on the available geologic data, active or potentially active faults with the potential for surface fault rupture are not known to be located directly beneath or projecting toward the project site. Therefore, the potential for surface rupture as a result of fault plane displacement during the design life of the project is less than significant.

Mitigation Measures: No mitigation measures are required.

ii) **Strong seismic ground shaking?**

Less than Significant Impact. The project site could be subject to strong ground shaking in the event of an earthquake originating along one of the faults listed as active or potentially active in the Southern California area. This hazard exists throughout Southern California and could pose a risk to public safety and property by exposing people, property, or infrastructure to potentially adverse effects, including strong seismic ground shaking. Compliance with applicable building codes would minimize structural damage to buildings and ensure safety in the event of a moderate or major earthquake. Therefore, impacts related to strong seismic ground shaking would be less than significant.

Mitigation Measures: No mitigation measures are required.

iii) **Seismic-related ground failure, including liquefaction?**

No Impact. As identified in the City of Glendale General Plan Safety Element, the project site is not located within a mapped liquefaction hazard zone. Therefore, no impacts related to liquefaction would occur.

Mitigation Measures: No mitigation measures are required.

iv) **Landslides?**

No Impact. As identified in the City of Glendale General Plan Safety Element, the project site is not located within a mapped landslide hazard zone. Therefore, no impacts related to landslides would occur.

Mitigation Measures: No mitigation measures are required.

2) **Result in substantial soil erosion or the loss of topsoil?**

Less Than Significant Impact. Construction activity associated with the proposed project development may result in wind and water driven erosion of soils due to grading activities if soil is stockpiled or exposed during construction. However, this impact is considered short-term in nature since the site would be covered with pavement and landscaping upon completion of construction activity. Further, as part of the proposed project, the applicant would be required to adhere to conditions under the National Pollutant Discharge Elimination System (NPDES) Permit set forth by the Regional Water Quality Control Board (RWQCB), and prepare and submit a Storm Water Pollution Prevention Plan (SWPPP) to be administered throughout proposed project construction. The SWPPP would incorporate Best Management Practices (BMPs) to ensure that potential water

quality impacts from water driven erosion during construction would be reduced to less than significant.

Mitigation Measures: No mitigation measures are required.

- 3) **Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in an onsite or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?**

Less Than Significant Impact. As identified in the City of Glendale General Plan Safety Element, the project site is not located within a mapped liquefaction hazard zone. The relatively flat topography of the project site precludes both stability problems and the potential for lurching, which is earth movement at right angles to a cliff or steep slope during ground shaking. As previously discussed, the project is not subject hazards such as landslides and liquefaction.

Ground surface subsidence generally results from the extraction of fluids or gas from the subsurface that can result in a gradual lowering of the ground level. No regional subsidence as a result of groundwater pumping has been reported in the Glendale area. Therefore, the potential for ground collapse and other adverse effects due to subsidence on the project site is considered low.

In order to minimize damage due to geologic hazards, design and construction of the proposed project would comply with applicable building codes. Therefore, impacts related to exposure to hazards including landslides, lateral spreading, subsidence, liquefaction and collapse would be less than significant.

Mitigation Measures: No mitigation measures are required.

- 4) **Be located on expansive soil, as defined in Table 18-1-B of the California Building Code (2001), creating substantial risks to life or property?**

Less Than Significant Impact. The soils underlying the project site and surrounding area are considered to have a low expansion potential. Additionally, in order to minimize damage due to geologic hazards, design and construction of the proposed project would comply with applicable building codes. Therefore, impacts related to expansive soil would be less than significant.

Mitigation Measures: No mitigation measures are required.

- 5) **Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water?**

No Impact. Septic tanks will not be used for the proposed project. The proposed project would connect to and use the existing sewage conveyance system. No impact would occur.

Mitigation Measures: No mitigation measures are required.

G. GREENHOUSE GAS EMISSIONS

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?			X	

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
2. Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?			X	

1) **Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?**

Less Than Significant Impact. Greenhouse Gas (GHG) Emissions are said to result in an increase in the earth's average surface temperature commonly referred to as global warming. This rise in global temperature is associated with long-term changes in precipitation, temperature, wind patterns, and other elements of the earth's climate system, known as climate change. These changes are now broadly attributed to GHG emissions, particularly those emissions that result from the human production and use of fossil fuels.

Climate changes resulting from GHG emissions could produce an array of adverse environmental impacts including water supply shortages, severe drought, increased flooding, sea level rise, air pollution from increased formation of ground level ozone and particulate matter, ecosystem changes, increased wildfire risk, agricultural impacts, ocean and terrestrial species impacts, among other adverse effects.

In 2006, the State passed the Global Warming Solutions Act of 2006, commonly referred to as AB 32, which set the greenhouse gas emissions reduction goal for the State of California into law. The law requires that by 2020, State emissions must be reduced to 1990 levels by reducing greenhouse gas emissions from significant sources via regulation, market mechanisms, and other actions.

Senate Bill 375 (SB 375), passed in 2008, links transportation and land use planning with global warming. It requires the California Air Resources Board (ARB) to set regional targets for the purpose of reducing greenhouse gas emissions from passenger vehicles. Under this law, if regions develop integrated land use, housing and transportation plans that meet SB 375 targets, new projects in these regions can be relieved of certain review requirements under CEQA. The Southern California Association of Governments (SCAG) has prepared the region's Sustainable Communities Strategy (SCS) which is part of the Regional Transportation Plan (RTP). Glendale has an adopted Greener Glendale Plan which meets regional greenhouse gas reduction targets, as established by SCAG and adopted by the ARB. The Greener Glendale Plan uses land use development patterns, transportation infrastructure investments, transportation measures and other policies that are determined to be feasible to reduce GHG.

It should be noted that an individual project's GHG emissions will generally not result in direct impacts under CEQA, as the climate change issue is global in nature, however an individual project could be found to contribute to a potentially significant cumulative impact. This project is consistent with Greener Glendale Strategies UD4-A, UD4-B, and WT5 to reduce GHGs and therefore, would not result in cumulatively considerable impacts associated with GHG emissions.

Mitigation Measures: No mitigation measures are required.

2) **Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?**

Less Than Significant Impact. In an effort to implement State mandates under AB32 and SB375 that address climate change in local land use planning, local land use jurisdictions are generally preparing GHG emission inventories and reduction plans and incorporating climate change policies

into local General Plans to ensure development is guided by a land use plan that reduces GHG emissions. The City of Glendale adopted the Greener Glendale Plan with strategies to reduce GHGs. These strategies will provide direction for individual development projects to reduce GHG emissions and help the City meet its GHG emission reduction targets.

For the reasons discussed above, the project would not conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases.

Mitigation Measures: No mitigation measures are required.

H. HAZARDS AND HAZARDOUS MATERIALS

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?				X
2. Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?			X	
3. Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?				X
4. Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?				X
5. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project site?				X
6. For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project site?				X
7. Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?				X
8. Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?				X

1) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

No Impact. The project involves the development of residential uses. Such uses do not generally involve the routine use, transport, or disposal of significant amounts of hazardous materials. No new hazardous materials will be generated at the site. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 2) ***Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?***

Less Than Significant Impact. Development of the project site will require demolition of the existing structures onsite constructed in 1923, 1952 and 1959. Structures constructed, repaired or remodeled between 1930 and 1981 have the potential of containing Asbestos Containing Building Materials. In addition, buildings constructed prior to 1978 may contain lead based paints. Testing and removal of lead-based paints is subject to regulation established by the Environmental Protection Agency (EPA). The proposed project could create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. As such, the existing structures are required to be tested in accordance with applicable rules and regulations and remediated accordingly prior to demolition. Compliance with the applicable rules and regulations would ensure that significant impacts are reduced to a less than significant level.

Mitigation Measures: No mitigation measures are required.

- 3) ***Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?***

No Impact. There are no private or public schools located within one-quarter mile from the project site. In addition, the project would not emit any new hazardous emissions or handle hazardous materials since residential uses are proposed. No impact would occur.

Mitigation Measures: No mitigation measures are required.

- 4) ***Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?***

No Impact. The project site is not included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 5) ***For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project site?***

No Impact. The proposed project site is not located within an airport land use plan or within two miles of a public airport or public use airport. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 6) ***For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project site?***

No Impact. The project site is not within the vicinity of a private airstrip. No impact would occur.

Mitigation Measures: No mitigation measures are required.

- 7) ***Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?***

No Impact. There is no "City Disaster Response Route" located on any streets adjacent to the project site. The nearest designated streets are Glenoaks Boulevard and Brand Boulevard, as identified in the City of Glendale General Plan Safety Element (August 2003). The proposed project does not involve any changes to Glenoaks Boulevard or Brand Boulevard, nor would the project result in the alteration of an adopted emergency response plan or evacuation plan. As such, no impacts to emergency response plans or emergency evacuation plans would occur as a result of the proposed project.

Mitigation Measures: No mitigation measures are required.

8) **Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?**

No Impact. The project site and surrounding area are characterized by features typical of the urban landscape. The project site is not within a fire hazard area as identified in the City of Glendale General Plan Safety Element. No impact would occur.

Mitigation Measures: No mitigation measures are required.

I. **HYDROLOGY AND WATER QUALITY**

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Violate any water quality standards or waste discharge requirements?			X	
2. Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?			X	
3. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?			X	
4. Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?			X	
5. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?			X	
6. Otherwise substantially degrade water quality?			X	
7. Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?				X

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
8. Place within a 100-year flood hazard area structures which would impede or redirect flood flows?				X
9. Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?				X
10. Inundation by seiche, tsunami, or mudflow?				X

1) ***Violate any water quality standards or waste discharge requirements?***

Less Than Significant Impact. Under Section 402 of the Clean Water Act, the U.S. Environmental Protection Agency (EPA) has established regulations under the National Pollutant Discharge Elimination System (NPDES) program to control direct storm water discharges. In City of Glendale, the Los Angeles Regional Water Quality Control Board (RWCQB) administers the NPDES permitting program and is responsible for developing NPDES permitting requirements. The NPDES program regulates industrial pollutant discharges that include construction activities. Implementation of the proposed project will require compliance with all the NPDES requirements including the submittal and certification of plans and details showing both construction and post-construction Best Management Practices (BMPs) that are integrated into the design of the project. The submittal of a Standard Urban Stormwater Mitigation Plan (SUSMP), as approved by the City Engineer, will also be required to be integrated into the design of the project. Therefore, implementation of the proposed project is not expected to violate any water quality standards or waste water discharge requirements since the project will be required to comply with applicable permitting requirements. No significant impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

2) ***Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?***

Less Than Significant Impact. The proposed project does not involve additions or withdrawals of groundwater. The amount of hardscape proposed on the project site would be more than the current on-site conditions, but will be similar to other multi-family development in the area. The proposed project would comply with minimum landscape requirements. However, the project will provide landscape/open space which exceeds the amount required by code by 1,100 square feet since the project is pursuing additional units based on a lot width over 90 feet wide. The proposed project would not significantly interfere with the recharge of local groundwater or deplete the groundwater supplies. No significant impacts would occur as a result of the proposed project.

Mitigation Measures: No mitigation measures are required.

3) ***Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of stream or river, in a manner, which would result in substantial erosion or siltation on- or off-site?***

Less Than Significant Impact. The project site is situated on a flat lot and developed with several structures including a single-family residence, a duplex, a two story residential building, and a detached garage. Water which falls on the site either is absorbed into the ground on-site or is directed to Burchett Street. These conditions would not change substantially project implementation. The project will not alter the course of a stream or river, since no river or stream is located on the site nor would the project result in a substantial increase in runoff. Impacts to drainage patterns would be less than significant.

Mitigation Measures: No mitigation measures are required.

- 4) ***Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner, which would result in flooding on- or off-site?***

Less Than Significant Impact. The proposed project would not alter the course of a stream or river. Flood hazards due to heavy precipitation can result in inundation of developed areas due to overflow of nearby stream courses or from inadequate local storm drain facilities, if not sized to accommodate large storm events. However, the City has developed a flood control system that provides protection for its residents. The amount of surface runoff would increase as a result of the project; however, the increase would not be substantial. In addition, no Federal Emergency Management Agency (FEMA)-designated flood zones are located within the project site as indicated in the City of Glendale General Plan Safety Element (August 2003). Therefore, flooding impacts would be less than significant.

Mitigation Measures: No mitigation measures are required.

- 5) ***Create or contribute runoff water which would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff?***

Less Than Significant Impact. Please refer to Response 1-3 above. The amount of impervious surfaces would increase resulting in an increase in runoff from the site; however, the increase would not be substantial. Impacts from runoff as a result of the proposed project are anticipated to be less than significant.

Mitigation Measures: No mitigation measures are required.

- 6) ***Otherwise substantially degrade water quality?***

Less Than Significant Impact. Please refer to Response 1-3 above.

Mitigation Measures: No mitigation measures are required.

- 7) ***Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?***

No Impact. According to Federal Emergency Management Agency flood hazard maps, the project site is not located within a 100-year flood zone; therefore, the proposed project would not place housing within a 100-year flood hazard area or result in structures being constructed that would impede or redirect flood flows. The proposed project would not be subject to flooding, and, therefore, no impact would occur.

Mitigation Measures: No mitigation measures are required.

- 8) ***Place within a 100-year flood hazard area structures which would impede or redirect flood flows?***

No Impact. As indicated in Response I-7 above, the project site is not located within a 100-year floodplain or other flood hazard area, as shown on the latest FEMA Flood Insurance Rate Map. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

9) **Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?**

No Impact. According to the City of Glendale General Plan Safety Element, the proposed project is not located within the inundation zone of this dam or other dams located within the City or elsewhere. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

10) **Inundation by seiche, tsunami, or mudflow?**

No Impact. The project site is not within a coastal area. Therefore, tsunamis (seismic sea waves) are not considered a significant hazard at the site. In addition, the project site is not located downslope of any large bodies of water that could adversely affect the site in the event of earthquake-induced seiches, which are wave oscillations in an enclosed or semi-enclosed body of water. Therefore, no impact related to inundation by seiche, tsunami, or mudflow would result from implementation of the proposed project.

Mitigation Measures: No mitigation measures are required.

J. LAND USE AND PLANNING

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Physically divide an established community?				X
2. Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?			X	
3. Conflict with any applicable habitat conservation plan or natural community conservation plan?				X

1) **Physically divide an established community?**

No Impact. The project site is currently developed with several smaller-scale buildings, all of which will be demolished. Most other buildings surrounding the subject lots are 2 and 3-story high and contain 18 to 70 dwelling units. The proposed project involves the construction of an 18-unit, 3-story, multi-family residential building. The site is surrounded by other developed lots containing multi-family buildings. The project site is in close proximity to downtown, an area that contains office, commercial, and mixed-use buildings. The proposed project is consistent with the development pattern in the area and compatible with the other buildings. No established community would be divided as a result of the project. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 2) **Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?**

No Impact. The zoning designation on the project site is R1250 (High Density Residential) Zone and the General Plan designation is High Density Residential. The proposed project complies with the Land Use Element of the General Plan, as well as the zoning standards including density, height, setback, landscape/open space, and parking. Therefore, no impacts associated with applicable land use plans and policies would occur.

Mitigation Measures: No mitigation measures are required.

- 3) **Conflict with any applicable habitat conservation plan or natural community conservation plan?**

No Impact. There is no habitat conservation plan or natural community conservation plan in the project site or vicinity. As such, the implementation of the proposed project could not conflict with any such plans. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

K. MINERAL RESOURCES

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				X
2. Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				X

- 1) **Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?**

No Impact. The project site located in an area that is completely urbanized for many years and is not within an area that has been identified as containing valuable mineral resources, as indicated in the City's Open Space and Conservation Element (January 1993). Therefore, development within the project site would not result in the loss of availability of a known mineral resource. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 2) **Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?**

No Impact. As indicated in Response K-1 above, there are no known mineral resources within the project site. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

L. NOISE

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?			X	
2. Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?			X	
3. A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?			X	
4. A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?			X	
5. For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project site to excessive noise levels?				X
6. For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project site to excessive noise levels?				X

1) ***Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?***

Less Than Significant Impact: The proposed project involves the construction of an 18-unit, 3-story multi-family dwelling building. This type of use is permitted on the subject site. Surrounding land uses include other multi-family buildings and some remaining single-family residences. As shown in the City's Noise Element, the project site is located within the 70 CNEL and over noise contours as the project site abuts the 134 (Ventura) Freeway at the rear. The new project would be constructed to reduce interior noise to acceptable levels. The project's design also includes private patios/balconies facing the front and side yards. While these patios and balconies are private and serve only the unit it is attached to, they do not offer complete expectation of privacy as one would associate with the term private or privacy due to their location. While the proposed building will produce a more intensive use than the existing condition, it is not anticipated to generate noise in excess of the limits contained in the Noise Element. Less than significant impacts to noise are anticipated.

Mitigation Measures: No mitigation measures are required.

2) ***Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?***

Less Than Significant Impact. Excessive groundborne vibration is typically associated with activities such as blasting used in mining operations, or the use of pile drivers during construction. The project would not require any blasting activities and any earth movement associated with project construction is not anticipated to require pile driving. Structural support required for the development of the project would be installed by drilling bore holes, installing steel I-beams, and grouting with concrete. Therefore, the project is not expected to generate excessive groundborne vibration or groundborne noise levels. No significant impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

- 3) **A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?**

Less Than Significant Impact. As indicated in Response L-1 above, significant noise impacts are not anticipated to result from the long-term operation of the proposed project.

Mitigation Measures: No mitigation measures are required.

- 4) **A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?**

Less Than Significant Impact. Short-term noise impacts could occur as a result of construction activities. All development within the project site will be required to comply with the City of Glendale Noise Ordinance (Municipal Code Chapter 8.36) which prohibits construction activities to between the hours of 7:00 p.m. on one day and 7:00 a.m. of the next day or from 7:00 p.m. on Saturday to 7:00 a.m. on Monday or from 7:00 p.m. preceding a holiday. Compliance with the City's noise ordinance would ensure that noise impacts will be less than significant.

Mitigation Measures: No mitigation measures are required.

- 5) **For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project site to excessive noise levels?**

No Impact. The project site is not located within an airport land use plan or within two miles of a public airport or public use airport. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

- 6) **For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project site to excessive noise levels?**

No Impact. The project site is not within the vicinity of a private airstrip. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

M. POPULATION AND HOUSING

Would the project:	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?			X	
2. Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?				X
3. Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?				X

- 1) **Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?**

Less Than Significant Impact. The proposed project involves the construction of a new 3-story, 18-unit multi-family building. There are a total of eight residential units presently exist on the property. As a result of the proposed project, there will be a net increase of ten residential dwelling units. The subject site is zoned R1250 with a General Plan Land Use Designation of High Density Residential. The subject site is surrounded by other multi-family residences. The project is consistent with the zoning and land use designation of the area and, therefore, is not considered growth inducing. No impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

- 2) **Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?**

No Impact. The project involves the construction of a 3-story, 18-unit multi-family building with one level of subterranean parking that includes 45 spaces. The lot is presently developed with several buildings, all of which will be demolished. These buildings include a single-family residence, a duplex, a two-story building with five units, and a detached garage. Presently, five of the eight existing units are vacant. The duplex located at 366 Burchett Street and the single-family residence at 372 Burchett Street are occupied. A total of eight residential units will be lost; however, 18 new units will be constructed, resulting in a net gain of ten units. The proposed project will displace three families, since five units are currently unoccupied. As such, the project is subject to meeting the Just Cause Eviction Ordinance administered by the Community Development Department Housing Division. Evidence of compliance with this ordinance will be required prior to the issuance of any development permits for the proposed project. No impacts would occur.

- 3) **Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?**

No Impact. There are two buildings located at 366 Burchett Street: a duplex and a detached garage. There are two buildings located at 372 Burchett Street: a single-family residence and a two-story building containing five residential units. A minimum of three families will be displaced as a result of the proposed project, since five of the eight units are presently unoccupied. No impacts would occur.

Mitigation Measures: No further mitigation measures are required.

N. PUBLIC SERVICES

Would the project:	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
a) Fire protection?			X	
b) Police protection?			X	
c) Schools?			X	
d) Parks?			X	
e) Other public facilities?			X	

1) ***Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:***

a) ***Fire protection?***

Less Than Significant Impact. The City of Glendale Fire Department (GFD) provides fire and paramedic services to the project site. The nearest fire station is Station No. 26, located at 1145 N. Brand Boulevard, which is approximately 0.67 miles from the project site. The project will be required to comply with the Uniform Fire Code, including installation of fire sprinklers, and to submit plans to the Glendale Fire Department at the time building plans are submitted for approval. Impacts to fire protection are anticipated to be less than significant.

Mitigation Measures: No mitigation measures are required.

b) ***Police protection?***

Less Than Significant Impact. The Glendale Police Department (GPD) provides police services to the project site. The nearest police facility is located at 131 North Isabel Street, which is about 1.38 miles from the subject property. The proposed project will add a net gain of ten residential dwelling units to the area, as well as the people who will live in these units. The site is located in an urban, developed area of the City. The additional population that this project will bring is anticipated to have less than significant impact to Police services.

Mitigation Measures: No mitigation measures are required.

c) ***Schools?***

Less Than Significant Impact. Section 65995 of the Government Code provides that school districts can collect a fee on a per square foot basis for new residential units or additions to existing units to assist in the construction of or additions to schools. Such fee will be collected prior to the issuance of a building permit. Payment of these fees under the provisions of Government Code Section 65995.5 reduces impacts that could occur as a result of the project to less than significant levels.

Mitigation Measures: No mitigation measures are required.

d) ***Parks?***

Less Than Significant Impact. The proposed project would not involve the development or displacement of a park. The subject property and surrounding area is zoned for high density multi-family residential development and was not planned for use as a park. The project would provide

landscape areas/open space in the front and rear yards, as well as in the courtyard, which will fulfill the landscape/open space requirement per the R1250 zoning requirements. The total landscape/open space is 4,707 square feet. The proposed project would not contribute to additional need for parks due to the minimal net increase of new dwelling units. Impacts to parks are anticipated to be less than significant.

Mitigation Measures: No mitigation measures are required.

e) **Other public facilities?**

Less Than Significant Impact. The project site is presently developed with several buildings consisting of eight residential dwelling units. The lots surrounding this site are developed with similar or larger multi-family residential buildings, with the exception of a few remaining single-family residences. Several public facilities are located close proximity and within walking distance of the project site. These facilities include Fremont Park, Milford Mini-Park, and Casa Adobe de San Rafael. The additional dwelling units that this project will provide can be adequately served by existing public facilities. No significant impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

O. **RECREATION**

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?			X	
2. Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?			X	

1) **Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?**

Less Than Significant Impact. The project, as proposed, is consistent with the Land Use Element, which designates the project site as high density residential. The potential demand for new parks, or increased maintenance and additional improvements at existing parks, would be minimal due to the small net increase of new residential dwelling units, composition of the proposed dwelling units size and bedroom count. In comparison to the size and scope of other developments, the proposed project, at 18 dwelling units is relatively small. The project is comprised of one 1-bedroom units, ten 2-bedroom units, six 3-bedroom units, and one 4-bedroom unit. These units range from 717 square feet to 2,111 square feet. Given the size and the number of bedrooms in each unit, it would appear that these units may be most attractive to young professionals, families, and singles who seek housing in a residential setting, but close to downtown and the amenities associated with downtown living.

- The project site is located in Recreation Planning Area No. 6 that includes two neighborhood parks (Fremont Park and Milford Mini-Park) totaling 8.26 acres. Fremont Park provides several amenities, including eight tennis courts, a basketball court, and children's play area. The

majority of the area is not well-served by neighborhood parks since the 134 (Ventura) Freeway bisects much of the population located south of the freeway. Walking and running are also common recreational activities.

With respect to community parks facilities, which are defined in the General Plan's 1996 Recreation Elements as parks/recreation facilities of 10-30 acres in size suited for intense park development with active park uses, there are no community parks facilities within close proximity to the project site. Although the Recreation Element identifies the service area standard for a community park is one mile in size, it also notes that community parks serve the entire City (Recreation Element, Ch. 1, pg. 3). There are currently seven community parks within the City, containing approximately 190 acres of developed parkland and a total of almost 1800 acres of parkland including open space (Recreation Element, Section 4.3 and Table 4-1). The incremental increase of residents to the City occupying the project's 18 units (net increase of 10 from the existing condition) will not substantially increase the use of the City's community parkland such that any noticeable impact on the community parks within the City will occur.

In addition, pursuant to Section 4.10 of the G.M.C., the applicant will be required to pay public use facilities development impact fee. Therefore, the proposed project is not anticipated to result in significant impacts associated with the demand of existing park facilities.

Mitigation Measures: No mitigation measures are required.

2) **Does the project include recreational facilities or require the construction or expansion of recreational facilities, which might have an adverse physical effect on the environment?**

Less Than Significant Impact. As indicated in Response O-1 above, the project is not anticipated to significantly increase the demand on existing parks. Although the project will be located in an area that is currently underserved by parks and recreation facilities, it is not expected that the project will result in an increased demand for City facilities such that substantial deterioration will occur or be accelerated. No significant impacts to recreation resources are anticipated with implementation of the proposed project.

Mitigation Measures: No mitigation measures are required.

P. **TRANSPORTATION/TRAFFIC**

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Exceed the capacity of the existing circulation system, based on an applicable measure of effectiveness (as designated in a general plan policy, ordinance, etc.), taking into account all relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?			X	
2. Conflict with an applicable congestion management program including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?			X	

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
3. Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?				X
4. Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?				X
5. Result in inadequate emergency access?				X
6. Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?				X

- 1) ***Exceed the capacity of the existing circulation system, based on an applicable measure of effectiveness (as designated in a general plan policy, ordinance, etc.), taking into account all relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?***
Less than Significant Impact. There would be an increase in day time traffic as a result of the construction activities. The impact of trucks associated with removing 4,500 cubic yards of dirt would be reduced by normal truck hauling arrangements with the Traffic Section. However, the increase in day time traffic is not considered substantial since the construction phase is short-term, approximately 16 months.
 The proposed project would result in a net increase of ten residential units above the current condition. A slight increase in the number of vehicles using the area streets is anticipated to create a less than significant impact.
Mitigation Measures: No mitigation measures are required.
- 2) ***Conflict with an applicable congestion management program including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?***
Less than Significant Impact. As discussed above in Response P-1, the proposed project is not anticipated to result in any significant increase in traffic on the area roadway network. Therefore, impacts are anticipated to be less than significant.
Mitigation Measures: No mitigation measures are required.
- 3) ***Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?***
No Impact. The project site is not located within an airport land use plan or within the vicinity of a private air strip. No impacts on air traffic patterns would occur.
Mitigation Measures: No mitigation measures are required.
- 4) ***Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?***
No Impact. The proposed project would not result in any changes to the existing roadway network. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

5) **Result in inadequate emergency access?**

No Impact. The project does not involve changes to the existing street network or to existing emergency response plans. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

6) **Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?**

No Impact. The Los Angeles County Metropolitan Transportation Authority and Glendale Beeline provide bus service within the City of Glendale. The proposed project would not conflict with any adopted policies, plans, or programs regarding alternative transportation since no changes to the existing transportation policies, plans, or programs are proposed. No impacts would occur.

Mitigation Measures: No mitigation measures are required.

Q. **UTILITIES AND SERVICE SYSTEMS**

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?			X	
2. Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?				X
3. Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?				X
4. Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?			X	
5. Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?				X
6. Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?			X	
7. Comply with federal, state, and local statutes and regulations related to solid waste?				X

1) **Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?**

Less Than Significant Impact. Under Section 401 of the Clean Water Act (CWA) the Regional Water Quality Control Board (RWQCB) issues National Pollutant Discharge Elimination System (NPDES) permits to regulate waste discharged to "waters of the nation," which includes reservoirs, lakes and their tributary waters. Waste discharges include discharges of stormwater and construction

project discharges. In addition, the project will be required to submit a Standard Urban Stormwater Mitigation Plan (SUSMP) to mitigate urban storm water runoff. Prior to the issuance of building permits, the project applicant will be required to satisfy the requirements related to the payment of fees and/or provisions of adequate wastewater facilities. Because the project will comply with the waste discharge prohibitions and water quality objectives established by the RWQCB, impacts are considered to be less than significant.

Mitigation Measures: No mitigation measures are required.

- 2) ***Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?***

No Impact. The proposed project would result in an increase of 18 new residential dwelling units. The existing eight dwelling units on site will be demolished. However, this net increase of ten units is not anticipated to substantially increase the demand for new water or wastewater treatment facilities or the need to expand existing facilities. The project site is presently served by existing facilities. No impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

- 3) ***Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?***

No Impact. As indicated in Response Q-2 above, the project involves a net increase of 10 residential dwelling units. However, this increase is not expected to substantially increase the demand for new storm water drainage facilities or the need to expand existing facilities or the construction of new facilities. In addition, the project is consistent with the density accounted for in the Zoning Code and the General Plan. No impacts are anticipated.

Mitigation Measures: No mitigation measures are required.

- 4) ***Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?***

Less than Significant Impact. Glendale Water and Power provides water service for domestic, irrigation, and fire protection purposes to the City of Glendale. The City has four sources of water to meet existing and projected water demands. These sources consist of water imported from the Metropolitan Water District (MWD), groundwater from the San Fernando Groundwater Basin and the Verdugo Groundwater Basin, and recycled water.

The City of Glendale uses approximately 33,000 acre-feet of water on an annual basis. Of this total, approximately 78 percent is provided by the MWD, 12 percent is pumped from the San Fernando Groundwater Basin, 6 percent is pumped from the Verdugo Groundwater Basin, and the remaining 4 percent is supplied by the City's water reclamation system.

Due to an increasing reliance on local resources, the amount of water the City would purchase from MWD to meet demand is projected to remain stable or slightly increase between the present time and the year 2025. However, MWD water would continue to be the main source of supply for the City. Based on available water supplies, the MWD has indicated that it can meet 100 percent of its member agencies' needs over the next 20 years.

Overall the status of Glendale's water supply is highly reliable. The San Fernando and Verdugo Basins, to which Glendale possesses water rights, are managed under court order by a court-appointed watermaster in order to preserve water levels in these basins, thereby, assuring reliability of those in possession of pumping rights. Glendale is one of the original member agencies of the MWD, and has reliably received water from it over 60 years, and would continue to receive water

from MWD into the future. Additionally, Glendale has a sizable source of reclaimed water available to it, and has recently completed a reclaimed water distribution system. The use of reclaimed water is important, as it frees portable water in Glendale's system to be used to satisfy other water users. These water sources enable the City to meet all its projected demands, including those of the proposed project. Consequently, this impact is considered to be less than significant.

Mitigation Measures: No mitigation measures are required.

- 5) **Result in a determination by the wastewater treatment provider, which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?**

No Impact. See response provided under Section Q-2.

Mitigation Measures: No mitigation measures are required.

- 6) **Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?**

Less Than Significant Impact. The majority of solid waste generated in the City of Glendale is transported to Scholl Canyon Landfill, which is owned by the City. An ordinance passed by the City of Glendale limits disposal at the landfill to solid wastes generated within the Los Angeles County incorporated Cities of Glendale, La Canada Flintridge, Pasadena, South Pasadena, San Marino, Sierra Madre; the Los Angeles County unincorporated communities known as Altadena, La Crescenta, Montrose; the unincorporated area bordered by the Cities of San Gabriel, Rosemead, Temple City, Arcadia, and Pasadena; the unincorporated area immediately to the north of Arcadia, and Pasadena; and the unincorporated area immediately to the north of the City of San Marino bordered by the City of Pasadena on the west, north and east sides.

Scholl Canyon Landfill has the capacity to accept solid waste until the end of 2021. Solid waste generation is expected to increase during the construction phase of the project as well as when the future residents move into the residential units. However, the existing solid waste system would be sufficient to accommodate wastes generated during construction. No significant impacts to solid waste facilities are anticipated to occur as a result of the proposed project.

Mitigation Measures: No mitigation measures are required.

- 7) **Comply with federal, state, and local statutes and regulations related to solid waste?**

No Impact. The proposed project will comply with all federal, state, and local statutes and regulations relating to solid waste. All construction debris will be disposed of according to applicable federal, state, and local statutes. No impacts would occur as a result of the proposed project.

Mitigation Measures: No mitigation measures are required.

R. MANDATORY FINDINGS OF SIGNIFICANCE

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
1. Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal			X	

<i>Would the project:</i>	Potentially Significant Impact	Less Than Significant Impact With Mitigation Incorporated	Less Than Significant Impact	No Impact
community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?				
2. Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?			X	
3. Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?			X	

- 1) ***Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?***

Less Than Significant Impact. The proposed project is located in a developed and highly urbanized area. No impacts are anticipated to occur to the quality of the environment, fish or wildlife habitats, fish or wildlife populations, plant or animal communities, or to rare, threatened or endangered plant and animal species as a result of the proposed project. No historical resources, as defined by CEQA, are located on the project site. No significant impacts are anticipated.

- 2) ***Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?***

Less Than Significant Impact. Development of the proposed project will not substantially increase traffic, nor would it result in a substantial increase in population, as this is an 18-unit, multi-family residential development. The project is consistent with the allowable density in the R1250 zoning district General Plan. Public facilities are available to accommodate the slight increase in usage due to the increase in area population.

- 3) ***Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?***

Less Than Significant Impact. Development of the proposed project would not create direct and indirect adverse effects on humans. Many of the less than significant impacts that were identified are considered short-time effects and no significant impacts are anticipated.

13. **Earlier Analyses**

None

14. **Project References Used to Prepare Initial Study Checklist**

One or more of the following references were incorporated into the Initial Study by reference, and are available for review in the Community Development Department, 633 E. Broadway, Rm. 103, Glendale, CA 91206-4386. Items used are referred to by number on the Initial Study Checklist.

1. Environmental Information Form application and materials submitted on June 3, 2014.
2. The City of Glendale's General Plan, Open Space and Conservation Element, January 1993.
3. The City of Glendale's General Plan, Safety Element, August 2003.
4. The City of Glendale's Municipal Code, as amended.
5. "Guidelines of the City of Glendale for the Implementation of the California Environmental Quality Act of 1970, as amended," August 19, 2003, City of Glendale Planning Division.
6. Public Resources Code Section 21000 et seq and California Code of Regulations, Title 14 Section 15000 et seq.
7. "CEQA Air Quality Handbook," April, 1993, South Coast Air Quality Management District.
8. "CEQA Air Quality Analysis Guidance Handbook," updated October 2003, South Coast Air Quality Management District.
9. The City of Glendale's General Plan, Noise Element, May 2007
10. The City of Glendale's General Plan, Recreation Element, April 1996