

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

72 Room Congregate 129-133 West Los Feliz
Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Congregate Care (Assisted Living)	72.00	Dwelling Unit	0.41	57,350.00	206
Enclosed Parking with Elevator	29.15	1000sqft	0.00	29,145.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	12			Operational Year	2021
Utility Company	Glendale Water & Power				
CO2 Intensity (lb/MW hr)	1115.33	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Lot: 17,654 SF; 57,350 SF Congregate Care Facility,

Land Use - 72 room, 5-story, 57,350 SF congregate care facility with a 29,145 SF, 2-level, 70 parking space, subterranean garage (Subterranean Level 1: 15,145 SF, and Subterranean Level 2: 14,000 SF)

Construction Phase - grading will occur over a period of 8 days.

Grading - 16,342.59 CY of grading (all export) to accomodate a 2-level suterranean garage

Demolition - Lot has been previous graded and is currently vacant.

Energy Use -

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	2.00	8.00
tblConstructionPhase	PhaseEndDate	11/17/2020	11/24/2020
tblConstructionPhase	PhaseEndDate	11/3/2020	11/10/2020
tblConstructionPhase	PhaseEndDate	6/16/2020	6/24/2020
tblConstructionPhase	PhaseEndDate	11/10/2020	11/17/2020
tblConstructionPhase	PhaseStartDate	11/11/2020	11/18/2020
tblConstructionPhase	PhaseStartDate	6/17/2020	6/24/2020
tblConstructionPhase	PhaseStartDate	11/4/2020	11/11/2020
tblGrading	MaterialExported	0.00	16,342.59
tblLandUse	LandUseSquareFeet	72,000.00	57,350.00
tblLandUse	LotAcreage	4.50	0.41
tblLandUse	LotAcreage	0.67	0.00

2.0 Emissions Summary

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8
Energy	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Mobile	0.3827	1.8021	5.2538	0.0181	1.4335	0.0149	1.4484	0.3836	0.0139	0.3976		1,842.485 4	1,842.485 4	0.0957		1,844.877 2
Total	20.6997	3.5643	47.9104	0.1131	1.4335	5.5638	6.9973	0.3836	5.5629	5.9465	674.4181	3,403.959 2	4,078.377 3	2.1222	0.0504	4,146.464 6

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8
Energy	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Mobile	0.3827	1.8021	5.2538	0.0181	1.4335	0.0149	1.4484	0.3836	0.0139	0.3976		1,842.485 4	1,842.485 4	0.0957		1,844.877 2
Total	20.6997	3.5643	47.9104	0.1131	1.4335	5.5638	6.9973	0.3836	5.5629	5.9465	674.4181	3,403.959 2	4,078.377 3	2.1222	0.0504	4,146.464 6

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	5/29/2020	6/11/2020	5	10	
2	Site Preparation	Site Preparation	6/12/2020	6/12/2020	5	1	
3	Grading	Grading	6/13/2020	6/24/2020	5	8	
4	Building Construction	Building Construction	6/24/2020	11/10/2020	5	100	
5	Paving	Paving	11/11/2020	11/17/2020	5	5	
6	Architectural Coating	Architectural Coating	11/18/2020	11/24/2020	5	5	

Acres of Grading (Site Preparation Phase): 0.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 116,134; Residential Outdoor: 38,711; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 1,749 (Architectural Coating – sqft)

OffRoad Equipment

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	4	6.00	9	0.56
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Grading	Concrete/Industrial Saws	1	8.00	81	0.73
Building Construction	Cranes	1	4.00	231	0.29
Building Construction	Forklifts	2	6.00	89	0.20
Site Preparation	Graders	1	8.00	187	0.41
Paving	Pavers	1	7.00	130	0.42
Paving	Rollers	1	7.00	80	0.38
Demolition	Rubber Tired Dozers	1	1.00	247	0.40
Grading	Rubber Tired Dozers	1	1.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Demolition	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Grading	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Paving	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	2	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	2,043.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	5	64.00	12.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.1 Mitigation Measures Construction

3.2 Demolition - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457		1,147.235 2	1,147.235 2	0.2169		1,152.657 8
Total	0.8674	7.8729	7.6226	0.0120	0.0000	0.4672	0.4672	0.0000	0.4457	0.4457		1,147.235 2	1,147.235 2	0.2169		1,152.657 8

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.2 Demolition - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0460	0.0327	0.4378	1.1800e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		117.6113	117.6113	3.7100e-003		117.7040
Total	0.0460	0.0327	0.4378	1.1800e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		117.6113	117.6113	3.7100e-003		117.7040

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457	0.0000	1,147.2352	1,147.2352	0.2169		1,152.6578
Total	0.8674	7.8729	7.6226	0.0120	0.0000	0.4672	0.4672	0.0000	0.4457	0.4457	0.0000	1,147.2352	1,147.2352	0.2169		1,152.6578

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.2 Demolition - 2020**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0460	0.0327	0.4378	1.1800e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		117.6113	117.6113	3.7100e-003		117.7040
Total	0.0460	0.0327	0.4378	1.1800e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		117.6113	117.6113	3.7100e-003		117.7040

3.3 Site Preparation - 2020**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.5303	0.0000	0.5303	0.0573	0.0000	0.0573			0.0000			0.0000
Off-Road	0.6853	8.4307	4.0942	9.7400e-003		0.3353	0.3353		0.3085	0.3085		943.4872	943.4872	0.3051		951.1158
Total	0.6853	8.4307	4.0942	9.7400e-003	0.5303	0.3353	0.8656	0.0573	0.3085	0.3658		943.4872	943.4872	0.3051		951.1158

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0230	0.0164	0.2189	5.9000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		58.8056	58.8056	1.8500e-003		58.8520
Total	0.0230	0.0164	0.2189	5.9000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		58.8056	58.8056	1.8500e-003		58.8520

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.5303	0.0000	0.5303	0.0573	0.0000	0.0573			0.0000			0.0000
Off-Road	0.6853	8.4307	4.0942	9.7400e-003		0.3353	0.3353		0.3085	0.3085	0.0000	943.4872	943.4872	0.3051		951.1158
Total	0.6853	8.4307	4.0942	9.7400e-003	0.5303	0.3353	0.8656	0.0573	0.3085	0.3658	0.0000	943.4872	943.4872	0.3051		951.1158

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0230	0.0164	0.2189	5.9000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		58.8056	58.8056	1.8500e-003		58.8520
Total	0.0230	0.0164	0.2189	5.9000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		58.8056	58.8056	1.8500e-003		58.8520

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.9838	0.0000	0.9838	0.4488	0.0000	0.4488			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457		1,147.2352	1,147.2352	0.2169		1,152.6578
Total	0.8674	7.8729	7.6226	0.0120	0.9838	0.4672	1.4510	0.4488	0.4457	0.8944		1,147.2352	1,147.2352	0.2169		1,152.6578

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.4 Grading - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	2.2307	73.4307	16.2716	0.2017	4.4651	0.2344	4.6995	1.2240	0.2242	1.4482		21,855.8050	21,855.8050	1.4876		21,892.9961
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0460	0.0327	0.4378	1.1800e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		117.6113	117.6113	3.7100e-003		117.7040
Total	2.2767	73.4635	16.7094	0.2029	4.5769	0.2353	4.8122	1.2536	0.2251	1.4787		21,973.4163	21,973.4163	1.4914		22,010.7001

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.9838	0.0000	0.9838	0.4488	0.0000	0.4488			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457	0.0000	1,147.2352	1,147.2352	0.2169		1,152.6578
Total	0.8674	7.8729	7.6226	0.0120	0.9838	0.4672	1.4510	0.4488	0.4457	0.8944	0.0000	1,147.2352	1,147.2352	0.2169		1,152.6578

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	2.2307	73.4307	16.2716	0.2017	4.4651	0.2344	4.6995	1.2240	0.2242	1.4482		21,855.8050	21,855.8050	1.4876		21,892.9961
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0460	0.0327	0.4378	1.1800e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		117.6113	117.6113	3.7100e-003		117.7040
Total	2.2767	73.4635	16.7094	0.2029	4.5769	0.2353	4.8122	1.2536	0.2251	1.4787		21,973.4163	21,973.4163	1.4914		22,010.7001

3.5 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806		1,102.9781	1,102.9781	0.3567		1,111.8962
Total	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806		1,102.9781	1,102.9781	0.3567		1,111.8962

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0427	1.2765	0.3345	3.1100e-003	0.0768	6.0100e-003	0.0828	0.0221	5.7500e-003	0.0279		332.4296	332.4296	0.0203		332.9368
Worker	0.2945	0.2095	2.8022	7.5600e-003	0.7154	5.9800e-003	0.7214	0.1897	5.5100e-003	0.1952		752.7122	752.7122	0.0237		753.3055
Total	0.3372	1.4860	3.1367	0.0107	0.7922	0.0120	0.8042	0.2118	0.0113	0.2231		1,085.1419	1,085.1419	0.0440		1,086.2423

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806	0.0000	1,102.9781	1,102.9781	0.3567		1,111.8962
Total	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806	0.0000	1,102.9781	1,102.9781	0.3567		1,111.8962

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0427	1.2765	0.3345	3.1100e-003	0.0768	6.0100e-003	0.0828	0.0221	5.7500e-003	0.0279		332.4296	332.4296	0.0203		332.9368
Worker	0.2945	0.2095	2.8022	7.5600e-003	0.7154	5.9800e-003	0.7214	0.1897	5.5100e-003	0.1952		752.7122	752.7122	0.0237		753.3055
Total	0.3372	1.4860	3.1367	0.0107	0.7922	0.0120	0.8042	0.2118	0.0113	0.2231		1,085.1419	1,085.1419	0.0440		1,086.2423

3.6 Paving - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669		1,035.3926	1,035.3926	0.3016		1,042.9323
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669		1,035.3926	1,035.3926	0.3016		1,042.9323

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.6 Paving - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0828	0.0589	0.7881	2.1300e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		211.7003	211.7003	6.6700e-003		211.8672
Total	0.0828	0.0589	0.7881	2.1300e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		211.7003	211.7003	6.6700e-003		211.8672

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669	0.0000	1,035.3926	1,035.3926	0.3016		1,042.9323
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669	0.0000	1,035.3926	1,035.3926	0.3016		1,042.9323

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.6 Paving - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0828	0.0589	0.7881	2.1300e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		211.7003	211.7003	6.6700e-003		211.8672
Total	0.0828	0.0589	0.7881	2.1300e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		211.7003	211.7003	6.6700e-003		211.8672

3.7 Architectural Coating - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	73.3920					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2422	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109		281.4481	281.4481	0.0218		281.9928
Total	73.6342	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109		281.4481	281.4481	0.0218		281.9928

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0598	0.0426	0.5692	1.5400e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		152.8947	152.8947	4.8200e-003		153.0152
Total	0.0598	0.0426	0.5692	1.5400e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		152.8947	152.8947	4.8200e-003		153.0152

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	73.3920					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2422	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109	0.0000	281.4481	281.4481	0.0218		281.9928
Total	73.6342	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109	0.0000	281.4481	281.4481	0.0218		281.9928

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0598	0.0426	0.5692	1.5400e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		152.8947	152.8947	4.8200e-003		153.0152
Total	0.0598	0.0426	0.5692	1.5400e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		152.8947	152.8947	4.8200e-003		153.0152

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.3827	1.8021	5.2538	0.0181	1.4335	0.0149	1.4484	0.3836	0.0139	0.3976		1,842.4854	1,842.4854	0.0957		1,844.8772
Unmitigated	0.3827	1.8021	5.2538	0.0181	1.4335	0.0149	1.4484	0.3836	0.0139	0.3976		1,842.4854	1,842.4854	0.0957		1,844.8772

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Congregate Care (Assisted Living)	197.28	158.40	175.68	644,612	644,612
Enclosed Parking with Elevator	0.00	0.00	0.00		
Total	197.28	158.40	175.68	644,612	644,612

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Congregate Care (Assisted Living)	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Enclosed Parking with Elevator	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Congregate Care (Assisted Living)	0.547192	0.045177	0.202743	0.121510	0.016147	0.006143	0.019743	0.029945	0.002479	0.002270	0.005078	0.000682	0.000891
Enclosed Parking with Elevator	0.547192	0.045177	0.202743	0.121510	0.016147	0.006143	0.019743	0.029945	0.002479	0.002270	0.005078	0.000682	0.000891

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
NaturalGas Unmitigated	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Congregate Care (Assisted Living)	2165.56	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Congregate Care (Assisted Living)	2.16556	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856

6.0 Area Detail

6.1 Mitigation Measures Area

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.7022	1,981.1203	2.0216	0.0458	2,045.3018
Unmitigated	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.7022	1,981.1203	2.0216	0.0458	2,045.3018

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1005					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.1459					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	18.8666	1.4939	36.6157	0.0934		5.5000	5.5000		5.5000	5.5000	674.4181	1,296.0000	1,970.4181	2.0113	0.0458	2,034.3401
Landscaping	0.1807	0.0687	5.9560	3.1000e-004		0.0328	0.0328		0.0328	0.0328		10.7022	10.7022	0.0104		10.9617
Total	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.7022	1,981.1203	2.0216	0.0458	2,045.3018

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1005					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.1459					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	18.8666	1.4939	36.6157	0.0934		5.5000	5.5000		5.5000	5.5000	674.4181	1,296.0000	1,970.4181	2.0113	0.0458	2,034.3401
Landscaping	0.1807	0.0687	5.9560	3.1000e-004		0.0328	0.0328		0.0328	0.0328		10.7022	10.7022	0.0104		10.9617
Total	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.7022	1,981.1203	2.0216	0.0458	2,045.3018

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation
