

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

72 Room Congregate 129-133 West Los Feliz
Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Congregate Care (Assisted Living)	72.00	Dwelling Unit	0.41	57,350.00	206
Enclosed Parking with Elevator	29.15	1000sqft	0.00	29,145.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	12			Operational Year	2021
Utility Company	Glendale Water & Power				
CO2 Intensity (lb/MW hr)	1115.33	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Lot: 17,654 SF; 57,350 SF Congregate Care Facility,

Land Use - 72 room, 5-story, 57,350 SF congregare care facility with a 29,145 SF, 2-level, 70 parking space, subterranean garage (Subterranean Level 1: 15,145 SF, and Subterranean Level 2: 14,000 SF)

Construction Phase - grading will occur over a period of 8 days.

Grading - 16,342.59 CY of grading (all export) to accomodate a 2-level suterranean garage

Demolition - Lot has been previous graded and is currently vacant.

Energy Use -

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	2.00	8.00
tblConstructionPhase	PhaseEndDate	11/17/2020	11/24/2020
tblConstructionPhase	PhaseEndDate	11/3/2020	11/10/2020
tblConstructionPhase	PhaseEndDate	6/16/2020	6/24/2020
tblConstructionPhase	PhaseEndDate	11/10/2020	11/17/2020
tblConstructionPhase	PhaseStartDate	11/11/2020	11/18/2020
tblConstructionPhase	PhaseStartDate	6/17/2020	6/24/2020
tblConstructionPhase	PhaseStartDate	11/4/2020	11/11/2020
tblGrading	MaterialExported	0.00	16,342.59
tblLandUse	LandUseSquareFeet	72,000.00	57,350.00
tblLandUse	LotAcreage	4.50	0.41
tblLandUse	LotAcreage	0.67	0.00

2.0 Emissions Summary

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8
Energy	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Mobile	0.3719	1.8496	4.9854	0.0172	1.4335	0.0150	1.4485	0.3836	0.0140	0.3977		1,753.322 7	1,753.322 7	0.0952		1,755.703 8
Total	20.6889	3.6118	47.6420	0.1122	1.4335	5.5639	6.9974	0.3836	5.5629	5.9466	674.4181	3,314.796 4	3,989.214 6	2.1218	0.0504	4,057.291 2

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8
Energy	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Mobile	0.3719	1.8496	4.9854	0.0172	1.4335	0.0150	1.4485	0.3836	0.0140	0.3977		1,753.322 7	1,753.322 7	0.0952		1,755.703 8
Total	20.6889	3.6118	47.6420	0.1122	1.4335	5.5639	6.9974	0.3836	5.5629	5.9466	674.4181	3,314.796 4	3,989.214 6	2.1218	0.0504	4,057.291 2

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	5/29/2020	6/11/2020	5	10	
2	Site Preparation	Site Preparation	6/12/2020	6/12/2020	5	1	
3	Grading	Grading	6/13/2020	6/24/2020	5	8	
4	Building Construction	Building Construction	6/24/2020	11/10/2020	5	100	
5	Paving	Paving	11/11/2020	11/17/2020	5	5	
6	Architectural Coating	Architectural Coating	11/18/2020	11/24/2020	5	5	

Acres of Grading (Site Preparation Phase): 0.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 116,134; Residential Outdoor: 38,711; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 1,749 (Architectural Coating – sqft)

OffRoad Equipment

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Cement and Mortar Mixers	4	6.00	9	0.56
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Grading	Concrete/Industrial Saws	1	8.00	81	0.73
Building Construction	Cranes	1	4.00	231	0.29
Building Construction	Forklifts	2	6.00	89	0.20
Site Preparation	Graders	1	8.00	187	0.41
Paving	Pavers	1	7.00	130	0.42
Paving	Rollers	1	7.00	80	0.38
Demolition	Rubber Tired Dozers	1	1.00	247	0.40
Grading	Rubber Tired Dozers	1	1.00	247	0.40
Building Construction	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Demolition	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Grading	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Paving	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	2	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	2,043.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	5	64.00	12.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.1 Mitigation Measures Construction

3.2 Demolition - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457		1,147.235 2	1,147.235 2	0.2169		1,152.657 8
Total	0.8674	7.8729	7.6226	0.0120	0.0000	0.4672	0.4672	0.0000	0.4457	0.4457		1,147.235 2	1,147.235 2	0.2169		1,152.657 8

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.2 Demolition - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0511	0.0363	0.4010	1.1100e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		110.7420	110.7420	3.4900e-003		110.8293
Total	0.0511	0.0363	0.4010	1.1100e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		110.7420	110.7420	3.4900e-003		110.8293

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457	0.0000	1,147.2352	1,147.2352	0.2169		1,152.6578
Total	0.8674	7.8729	7.6226	0.0120	0.0000	0.4672	0.4672	0.0000	0.4457	0.4457	0.0000	1,147.2352	1,147.2352	0.2169		1,152.6578

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.2 Demolition - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0511	0.0363	0.4010	1.1100e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		110.7420	110.7420	3.4900e-003		110.8293
Total	0.0511	0.0363	0.4010	1.1100e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		110.7420	110.7420	3.4900e-003		110.8293

3.3 Site Preparation - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.5303	0.0000	0.5303	0.0573	0.0000	0.0573			0.0000			0.0000
Off-Road	0.6853	8.4307	4.0942	9.7400e-003		0.3353	0.3353		0.3085	0.3085		943.4872	943.4872	0.3051		951.1158
Total	0.6853	8.4307	4.0942	9.7400e-003	0.5303	0.3353	0.8656	0.0573	0.3085	0.3658		943.4872	943.4872	0.3051		951.1158

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0256	0.0181	0.2005	5.6000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		55.3710	55.3710	1.7500e-003		55.4147
Total	0.0256	0.0181	0.2005	5.6000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		55.3710	55.3710	1.7500e-003		55.4147

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.5303	0.0000	0.5303	0.0573	0.0000	0.0573			0.0000			0.0000
Off-Road	0.6853	8.4307	4.0942	9.7400e-003		0.3353	0.3353		0.3085	0.3085	0.0000	943.4872	943.4872	0.3051		951.1158
Total	0.6853	8.4307	4.0942	9.7400e-003	0.5303	0.3353	0.8656	0.0573	0.3085	0.3658	0.0000	943.4872	943.4872	0.3051		951.1158

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0256	0.0181	0.2005	5.6000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		55.3710	55.3710	1.7500e-003		55.4147
Total	0.0256	0.0181	0.2005	5.6000e-004	0.0559	4.7000e-004	0.0564	0.0148	4.3000e-004	0.0153		55.3710	55.3710	1.7500e-003		55.4147

3.4 Grading - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.9838	0.0000	0.9838	0.4488	0.0000	0.4488			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457		1,147.2352	1,147.2352	0.2169		1,152.6578
Total	0.8674	7.8729	7.6226	0.0120	0.9838	0.4672	1.4510	0.4488	0.4457	0.8944		1,147.2352	1,147.2352	0.2169		1,152.6578

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.4 Grading - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	2.2849	74.3812	17.2928	0.1982	4.4651	0.2380	4.7031	1.2240	0.2277	1.4516		21,479.43 97	21,479.43 97	1.5417		21,517.98 31
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0511	0.0363	0.4010	1.1100e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		110.7420	110.7420	3.4900e-003		110.8293
Total	2.3360	74.4174	17.6938	0.1993	4.5769	0.2389	4.8158	1.2536	0.2285	1.4821		21,590.18 18	21,590.18 18	1.5452		21,628.81 24

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.9838	0.0000	0.9838	0.4488	0.0000	0.4488			0.0000			0.0000
Off-Road	0.8674	7.8729	7.6226	0.0120		0.4672	0.4672		0.4457	0.4457	0.0000	1,147.235 2	1,147.235 2	0.2169		1,152.657 8
Total	0.8674	7.8729	7.6226	0.0120	0.9838	0.4672	1.4510	0.4488	0.4457	0.8944	0.0000	1,147.235 2	1,147.235 2	0.2169		1,152.657 8

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.4 Grading - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	2.2849	74.3812	17.2928	0.1982	4.4651	0.2380	4.7031	1.2240	0.2277	1.4516		21,479.43 97	21,479.43 97	1.5417		21,517.98 31
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0511	0.0363	0.4010	1.1100e-003	0.1118	9.3000e-004	0.1127	0.0296	8.6000e-004	0.0305		110.7420	110.7420	3.4900e-003		110.8293
Total	2.3360	74.4174	17.6938	0.1993	4.5769	0.2389	4.8158	1.2536	0.2285	1.4821		21,590.18 18	21,590.18 18	1.5452		21,628.81 24

3.5 Building Construction - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806		1,102.978 1	1,102.978 1	0.3567		1,111.896 2
Total	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806		1,102.978 1	1,102.978 1	0.3567		1,111.896 2

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0446	1.2762	0.3689	3.0300e-003	0.0768	6.1000e-003	0.0829	0.0221	5.8400e-003	0.0280		323.3389	323.3389	0.0216		323.8794
Worker	0.3271	0.2320	2.5665	7.1200e-003	0.7154	5.9800e-003	0.7214	0.1897	5.5100e-003	0.1952		708.7491	708.7491	0.0223		709.3075
Total	0.3717	1.5082	2.9353	0.0102	0.7922	0.0121	0.8043	0.2118	0.0114	0.2232		1,032.0879	1,032.0879	0.0440		1,033.1869

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806	0.0000	1,102.9781	1,102.9781	0.3567		1,111.8962
Total	0.8617	8.8523	7.3875	0.0114		0.5224	0.5224		0.4806	0.4806	0.0000	1,102.9781	1,102.9781	0.3567		1,111.8962

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0446	1.2762	0.3689	3.0300e-003	0.0768	6.1000e-003	0.0829	0.0221	5.8400e-003	0.0280		323.3389	323.3389	0.0216		323.8794
Worker	0.3271	0.2320	2.5665	7.1200e-003	0.7154	5.9800e-003	0.7214	0.1897	5.5100e-003	0.1952		708.7491	708.7491	0.0223		709.3075
Total	0.3717	1.5082	2.9353	0.0102	0.7922	0.0121	0.8043	0.2118	0.0114	0.2232		1,032.0879	1,032.0879	0.0440		1,033.1869

3.6 Paving - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669		1,035.3926	1,035.3926	0.3016		1,042.9323
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669		1,035.3926	1,035.3926	0.3016		1,042.9323

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.6 Paving - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0920	0.0652	0.7218	2.0000e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		199.3357	199.3357	6.2800e-003		199.4927
Total	0.0920	0.0652	0.7218	2.0000e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		199.3357	199.3357	6.2800e-003		199.4927

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669	0.0000	1,035.3926	1,035.3926	0.3016		1,042.9323
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.7716	7.2266	7.1128	0.0113		0.3950	0.3950		0.3669	0.3669	0.0000	1,035.3926	1,035.3926	0.3016		1,042.9323

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.6 Paving - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0920	0.0652	0.7218	2.0000e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		199.3357	199.3357	6.2800e-003		199.4927
Total	0.0920	0.0652	0.7218	2.0000e-003	0.2012	1.6800e-003	0.2029	0.0534	1.5500e-003	0.0549		199.3357	199.3357	6.2800e-003		199.4927

3.7 Architectural Coating - 2020

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	73.3920					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2422	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109		281.4481	281.4481	0.0218		281.9928
Total	73.6342	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109		281.4481	281.4481	0.0218		281.9928

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2020

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0664	0.0471	0.5213	1.4500e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		143.9647	143.9647	4.5400e-003		144.0781
Total	0.0664	0.0471	0.5213	1.4500e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		143.9647	143.9647	4.5400e-003		144.0781

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	73.3920					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2422	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109	0.0000	281.4481	281.4481	0.0218		281.9928
Total	73.6342	1.6838	1.8314	2.9700e-003		0.1109	0.1109		0.1109	0.1109	0.0000	281.4481	281.4481	0.0218		281.9928

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2020

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0664	0.0471	0.5213	1.4500e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		143.9647	143.9647	4.5400e-003		144.0781
Total	0.0664	0.0471	0.5213	1.4500e-003	0.1453	1.2100e-003	0.1465	0.0385	1.1200e-003	0.0397		143.9647	143.9647	4.5400e-003		144.0781

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.3719	1.8496	4.9854	0.0172	1.4335	0.0150	1.4485	0.3836	0.0140	0.3977		1,753.3227	1,753.3227	0.0952		1,755.7038
Unmitigated	0.3719	1.8496	4.9854	0.0172	1.4335	0.0150	1.4485	0.3836	0.0140	0.3977		1,753.3227	1,753.3227	0.0952		1,755.7038

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Congregate Care (Assisted Living)	197.28	158.40	175.68	644,612	644,612
Enclosed Parking with Elevator	0.00	0.00	0.00		
Total	197.28	158.40	175.68	644,612	644,612

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Congregate Care (Assisted Living)	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Enclosed Parking with Elevator	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Congregate Care (Assisted Living)	0.547192	0.045177	0.202743	0.121510	0.016147	0.006143	0.019743	0.029945	0.002479	0.002270	0.005078	0.000682	0.000891
Enclosed Parking with Elevator	0.547192	0.045177	0.202743	0.121510	0.016147	0.006143	0.019743	0.029945	0.002479	0.002270	0.005078	0.000682	0.000891

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
NaturalGas Unmitigated	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - Natural Gas

Unmitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Congregate Care (Assisted Living)	2165.56	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856

Mitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Congregate Care (Assisted Living)	2.16556	0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856
Enclosed Parking with Elevator	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Total		0.0234	0.1996	0.0849	1.2700e-003		0.0161	0.0161		0.0161	0.0161		254.7716	254.7716	4.8800e-003	4.6700e-003	256.2856

6.0 Area Detail

6.1 Mitigation Measures Area

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8
Unmitigated	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1005					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.1459					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	18.8666	1.4939	36.6157	0.0934		5.5000	5.5000		5.5000	5.5000	674.4181	1,296.000 0	1,970.418 1	2.0113	0.0458	2,034.340 1
Landscaping	0.1807	0.0687	5.9560	3.1000e-004		0.0328	0.0328		0.0328	0.0328		10.7022	10.7022	0.0104		10.9617
Total	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.702 2	1,981.120 3	2.0216	0.0458	2,045.301 8

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.1005					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	1.1459					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	18.8666	1.4939	36.6157	0.0934		5.5000	5.5000		5.5000	5.5000	674.4181	1,296.0000	1,970.4181	2.0113	0.0458	2,034.3401
Landscaping	0.1807	0.0687	5.9560	3.1000e-004		0.0328	0.0328		0.0328	0.0328		10.7022	10.7022	0.0104		10.9617
Total	20.2936	1.5626	42.5717	0.0937		5.5328	5.5328		5.5328	5.5328	674.4181	1,306.7022	1,981.1203	2.0216	0.0458	2,045.3018

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

72 Room Congregate 129-133 West Los Feliz - Los Angeles-South Coast County, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation
