
GENERAL NOTES

- TAKE CAREFUL NOTE OF ALL REQUIREMENTS UNDER DIVISION I GENERAL REQUIREMENTS THAT ARE MADE A PART OF THE CONTRACT, INCLUDING PROJECT REQUIREMENTS, GENERAL REQUIREMENTS, PROJECTION AND SPECIAL PRECAUTIONS, AND THE GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION.
- 2. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS AT THE JOB SITE AND TO CROSS-CHECK DETAILS AND DIMENSIONS ON THE CONSTRUCTION DOCUMENTS WITH RELATED DISCIPLINES SUCH AS ARCHITECTURAL, MECHANICAL AND ELECTRICAL CONSULTANTS. FLOOR OPENINS, SLEEVES AND OTHER ARCHITECTURAL, MECHANICAL AND ELECTRICAL REQUIREMENTS MUST BE COORDINATED BEFORE THE CONTRACTOR PROCEEDS WITH CONSTRUCTION.
- 3. ALL WORK AND MATERIALS ARE TO COMPLY IN EVERY RESPECT WITH THE LATEST REQUIREMENTS OF ALL APPLICABLE CITY, COUNTY AND STATE CODES, LOCAL REGULATIONS AND THE DIRECTION OF THE BUILDING INSPECTOR FOR SUCH BUILDING LAYS. REGULATIONS AND DIRECTIONS ARE TO BE CONSIDERED AS PART THESE SPECIFICATIONS AND PLANS EXCEPT WHERE EXCEEDED HEREIN
- 4. ALL MATTERS OF COLOR, TEXTURE, DESIGN AND INTERPRETATION OF PLANS SHALL BE REFERRED BY THE CONTRACTOR TO THE ARCHITECT, IN THE EVENT SUCH MATTERS ARE NOT ADEQUATELY COVERED IN PLANS.
- 5. DRAWINGS ARE NOT TO BE SCALED, DIMENSIONAL DISCREPANCIES ARE TO BE CALLED TO THE ATTENTION OF THE OWNER,
- 6. NUMERICAL DIMENSIONS SHALL TAKE PRIORITY OVER SCALED.
- THE CONTRACTOR SHALL FURNISH WATER, SENER, GAS AND ELECTRIC SERVICE TO MEET THE REQUIREMENTS OF THE CONTRACT DOCUMENTS, OR AS NECESSARY TO COMPLETE THE WORK.
- ALL SUBSTITUTIONS OF PRODUCTS SPECIFIED OR DEVIATIONS TO THE DRAWINGS OR SPECIFICATIONS MUST BE SUBMITTED TO THE OWNER FOR APPROVAL.
- IO. VERIFY EXACT LOCATION OF CEILING ACCESS PANELS WITH MECHANICAL CONTRACTOR, PROVIDE ACCESS PANELS WHERE REQUIRED.
- I. PATCHING AND REPAIR SHALL BE PERFORMED TO CREATE A CONTINUOUS AND UNIFORM SURFACE.
- 12. CEILING HEIGHTS SHOWN ON REFLECTED CEILING PLANS ARE FROM FINISH FLOOR TO FINISH CEILING.
- 13. PROVIDE DRYWALL SCREED OR PLASTER GROUND ON ALL END WALL CONDITIONS AND MAINTAIN SEPARATION FROM NON-COMPATIBLE MATERIAL. INFORM OWNER IMMEDIATELY OF ANY DISCREPANCIES.
- 14. EXCEPT AS OTHERWISE NOTED ON THE DRAWINGS, PARTITIONS SHALL BE 2X4 STUDS AT 16" O.C. WITH SILL AND PLATES AS SHOWN IN THE APPLICABLE DETAILS, OR AS REQUIRED BY LOCAL GOVERNING REGULATIONS.
- 15. ALL DRYWALL SHALL BE 5/8" THICK TYPE 'X' GYPSUM BOARD, EXCEPT WHERE NOTED.
- 16. ALL CONSTRUCTION, WHERE APPLICABLE BY CODE, SHALL CONFORM TO THE MOST RESTRICTIVE REQUIREMENTS OF THE CITY OF GLENDALE, BUILDING AND SAFETY DISABLED REQUIREMENTS, ALL STATE OF CALIFORNIA ACCESSIBILITY STANDARDS FOR THE PHYSICALLY HANDICAPPED, AND THE LATEST EDITION OF AMPPLICAMS BUILD INSABILITIES ACT AMERICANS WITH DISABILITIES ACT
- IT, FIRE EXTINGUISHERS SHALL BE INSTALLED IN LOCATIONS REQUIRED BY THE CITY OF GLENDALE FIRE DEPARTMENT. THE CONTRACTOR SHALL ARRAINSE FOR THE INSPECTION BY THE FIRE DEPARTMENT AND INSTALLATION IN ACCOMDANCE WITH THE LOCATIONS AND SPECIFICATIONS, AS REQUIRED. ONLY APPROVED TYPE FIRE EXTINGUISHERS SHALL BE USED.
- 5. ALL INTERIOR FINISHES SHALL HAVE A FLAME SPREAD RATING OF 75 OR ETTER AND SHALL CONFORM TO SECTION 804 & TABLE 8-A & 8-B OF 2016 UBC
- IR. CONTRACTOR MARRANTS THAT ALL WORK AND MATERIALS SHALL CONFORM TO THE CONTRACT DOCUMENTS AND NO SUBSTITUTION SHALL BE PERMITTED INLESS SUBMITTED TO THE ARCHITECT IN MRITING WITH THREE COPIES OF LITERATURE AND SPECIFICATIONS AND FORMALLY APPROVED BY THE ARCHITECT AND OWNER.
- 20. IF THE CONTRACTOR ENCOUNTERS ASBESTOS OR OTHER TOXIC MATERIALS, THE WORK SHALL BE INFORMED OF THESE MATERIALS FOR IMMEDIATE ACTION.
- 21. LEVERS AND LOCK SETS (ALL HARDWARE) SHALL BE IN ACCORDANCE TO THE TITLE 24 OF THE STATE OF CALIFORNIA AND THE LATEST EDITION OF AMERICANS WITH DISABILITIES ACT FOR ALL COMMON AREAS.
- 22. VERIFY TITLE 24 REQUIREMENTS ENERGY CALCULATIONS PRIOR TO ORDERING LIGHT FIXTURES. REFER TO ARCHITECTURAL REFLECTED CEILING PLAN FOR LOCATION OF FIXTURES ONLY.
- 23. CONTRACTOR IS RESPONSIBLE FOR TITLE 24 ENERGY CALCULATIONS IF A DEVIATION IN DESIGN IS REQUESTED. SUBMIT ANY REQUESTS FOR DEVIATION TO THE ARCHITECT FOR APPROVAL.

- 24. PROVIDE APPROVED FIRE DAMPERS FOR ALL DUCTS PENETRATING FIRE RATED WALLS AND FLOORS.
- ANY DECORATIONS USED SHALL BE NON-COMBUSTIBLE OR FLAME PROOFED IN
- 26. DOOR OPENINGS NOT LOCATED BY DIMENSION SHALL BE CENTERED IN WALL SHOWN OR LOCATED 5" FROM FINISH WALL TO FINISH JAMB.
- 27. ALL LEGAL EXIT DOORS SHALL BE OPEN ABLE FROM INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT, SPECIAL LOCKING DEVICES SHALL BE OF AN APPROVED TYPE.
- 28. ALL WALL MOUNTED TELEPHONE AND ELECTRICAL OUTLETS SHALL BE INSTALLED AT 15" A.F.F., UNLESS OTHERWISE NOTED.
- 29. ALL LIGHT FIXTURES SHALL BE LOCATED EXACTLY AS INDICATED, CEILING SHALL BE CUT AND REMORKED AS REQUIRED TO ACCOMMODATE LIGHT FIXTURES AND OTHER ITEMS NOTED WITH A SPECIFIC LOCATION.
- 30. REFER TO THE ELECTRICAL DRAWINGS FOR LOCATION OF EXIT SIGNS, UNLESS
- 31. FOR PLUMBING ACCESS PANEL LOCATIONS REFER TO THE PLUMBING DRAWINGS.
- 32. FOR MECHANICAL ACCESS PANEL LOCATIONS REFER TO THE MECHANICAL DRAWINGS.
- 33. ONE HOUR FIRE-RESISTIVE PARTITIONS SHALL EXTEND FROM FLOOR SLAB TO INDERSIDE OF FLOOR CONSTRUCTION ABOVE WITH 5/0° THICK TYPE 'X' GYPSUM BOARD ON BOTH SIDES AS REQUIRED FOR ONE HOUR FIRE-RESISTIVE CONSTRUCTION.
- 34. ALL ACCESSIBLE ENTRANCES, IN COMMON AREAS, SHALL BE IDENTIFIED WITH AT LEAST ONE STANDARD SIGN AND WITH ADDITIONAL DIRECTIONAL SIGNS, AS REQUIRED, VISIBLE FROM APPROACHING FEDESTRIAN NAYS,
- 35. LATCHING AND LOCKING DOORS THAT ARE HAND ACTIVATED AND WHICH ARE IN A PATH OF TRAVEL, SHALL BE OPERABLE WITH A SINGLE EFFORT BY LEVER TYPE HARDWARE, PANIC BARS, PISH-PULL ACTIVATING BARS, OR OTHER HARDWAR DESIGNED TO PROVIDE PASSAGE WITHOUT REQUIRING THE ABILITY TO GRASP THE
- HAND ACTIVATED DOOR OPENING HARDWARE SHALL BE CENTERED BETWEEN 33" AND 44" ABOVE THE FLOOR.
- 37. THE FLOOR OR LANDING ON EACH SIDE OF AN ENTRANCE OR PASSAGE DOOR IN COMMON AREAS SHALL BE LEVEL AND CLEAR. THE LEVEL AND CLEAR AREA SHALL HAVE A LENGTH IN THE DIRECTION OF THE DOOR SWING OF AT LEAST 60° AND THE LENGTH OPPOSITE THE DIRECTION OF THE DOOR SWING OF 44" AS MEASURED AT RIGHT ANGLES TO THE PLANE OF THE DOOR IN ITS CLOSED POSITION.
- 38. THE WIDTH OF THE LEVEL AND CLEAR AREA ON THE SIDE TO WHICH THE DOOR SWINGS, IN COMMON AREAS, SHALL EXTEND 24" PAST THE STRIKE EDGE OF TH DOOR FOR EXTERIOR DOORS AND 18" PAST THE STRIKE EDGE FOR INTERIOR
- 39. THE FLOOR OR LANDING SHALL NOT BE MORE THAN 1/2" LOWER THAN THE THRESHOLD OF THE DOORWAY. CHANGE IN LEVEL BETWEEN 1/4" AND 1/2" SHALL BEVYLLED WITH A SLOPE NO GREATER THAN 1/2.
- 40. THE BOTTOM IO* OF ALL DOORS EXCEPT AUTOMATIC AND SLIDING SHALL IS A SMOOTH UNINTERRIPTED SURFACE TO ALLOW THE DOOR TO BE OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDOUS CONDITION WHERE NARROW FRAME DOORS ARE USED, A IO* HIGH SMOOTH PANEL SHALL BE INSTALLED ON THE PUSH SIDIE OF THE DOOR, WHICH WILL ALLOW THE DOOR TO OPENED BY A WHEELCHAIR FOOTREST WITHOUT CREATING A TRAP OR HAZARDOUS CONDITION.
- EXTERIOR DOORS AND 5 LB. FOR INTERIOR DOORS. SUCH PULL OR PUSH EFFORT BEING APPLIED AT RIGHT ANGLES TO HINGED DOORS AND AT THE CENTER PLANE OF SLIDING OR FOLDING DOORS. COMPENSATING DEVICES OR AUTOMATIC DOOR OPERATORS MAY BE UTILIZED TO MEET THE ABOVE STANDARDS, WHEN FIRE DOORS ARE REQUIRED, THE MAXIMUM EFFORT TO OPERATE THE DOOR MAY BE INCREASED NOT TO EXCEED IS LB ..

72 ROOM CONGREGATE LIVING



129-133 W. LOS FELIZ RD **GLENDALE, CA 91204**

CONSULTANTS

LEGEND OF SYMBOLS STANDARD ABBREVIATIONS

METAL NORTH ARROW PLYWOOD 3 A4-2 SECTION GYPSUM WALLBOARD CONCRETE -(3) GRID LINE



PROJECT SUMMARY

5 STORY (57,350 S.F.), 72 ROOM CONGREGATE LIVING OVER TWO STORY SUBTERRANEAN PARKING GARAGE.

WOOD BLOCKING

SCOPE OF WORKS:



ADDN'L.

ARCH.

BLDG. BLKG. BM. CAB. C.B.

CENTER LINE ELECTRICAL ELEVATION

ABOVE FINISH FLOOR

APPROXIMATELY

ASPHALTIC CONCRETE

ARCHITECT

ASSEMBLY

BLOCKING

BITUMEN(OUS)

F.O.C.

ELEVATION ENCLOSURE EQUAL EXISTING

0.5.F.W.

HEADER HORIZONTAL MAXIMUM
MEMBER
MECHANICAL
MEMBRANE
MANUFACTURER
MINIMUM
MISCELLANEOUS
MOUNTED
NOT IN CONTRACT
NOT TO SCALE
NATURAL
NOMINAL
NOME OVER
ON CENTER
OUTSIDE DIAMETER
OVER HEAD
OPENING
OPPOSITE

OUTSIDE FACE OF FINISH WALL MD. PROPERTY LINE W.T.

FOUNDATION

FOOT / FEET

GALVANIZED

HOLLOW CORE HOLLOW METAL

GYPSUM HOSE BIBB

FACE OF CONCRETE FACE OF FINISH FACE OF MASONRY FACE OF STUD

PAPER BACKED LATH PRESSURE TREATED PARTITION
PLASTER
PLYWOOD
PAIR
PARAPET
PAINTED
ROUGH OPENING
RADIUS
REFLECTED CEILING PLAN
ROOF DRAIN
PRESENTE REFERENCE REINFORGEMENT REQUIRED ROOFING

ROOFING ROOM SANDBLASTED STORM DRAIN SOLID CORE STAINLESS STEEL SCHEDULE SUBERT

TERNE COATED STEEL
TERNE COATED ZINC
TEMPERED
THICK

TYPICAL UNIFORM BUILDING CODE UNIFORM BUILDING CODE UNIFORM BUILDING NOTED VERTICAL GRAIN DOUGLAS FIR MATER CLOSET WITHOUT

R.J. SMITH - L.S. 5189 PHONE: (818) 957-3345 EMAIL: RANDALL2741@ATT.NET

ALAJAJIAN-MARCOOSI ARCHITECTS INC. 320 W. ARDEN AVE. SUITE 120 GLENDALE, CA 91203 TEL: (818) 244-5130 FAX: (818) 551-1613 E-MAIL: ARAMAR®ATT.NET

ARCHITECT

SURVEYOR

COVER SHEET

alailan - marcoosi archite

Alajajian

Marcoosi Architects Inc.

Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.ne

ALBER

Owner Address

72 ROOM

LIVING

CONGREGATE

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

320 W. Arden Ave. Suite 120 Glendale, CA 91203

KARAMANOUKIAN

Scale: N/A

SHEET INDEX ASSESSOR'S INFORMATION

ARCHITECTURAL:

- COVER SHEET
- A-I.O SITE / ROOF PLAN
- A-2.0 SUBTERRANEAN PARKING LEVEL B2
- A-2.I SUBTERRANEAN PARKING LEVEL BI
- A-22 IST FLOOR PLAN
- A-2.3 2ND FLOOR PLAN
- A-2.4 3RD FLOOR PLAN
- A-2.5 4TH FLOOR PLAN
- A-2.6 5TH FLOOR PLAN
- A-31 SOUTH AND FAST ELEVATIONS
- A-3.2 NORTH AND WEST ELEVATIONS
- A-4.I SECTION "A-A"
- A-4.2 SECTION "B" AND "C"

ASSESSOR'S ID NO: 5640-017-017

ADDRESS:

129 W. LOS FELIZ RD. GLENDALE CA, 91204

PROPERTY TYPE:

VACANT LAND

TAX RATE AREA (TRA): 04045

REGION / CLUSTER: 24 / 24633 BUILDING AREA SUMMARY LOT AREA

SECOND FLOOR - 12300 SQ ET THIRD FLOOR - 12,300 SQ.FT FOURTH FLOOR FIFTH FLOOR - 12,300 SQ.FT.

TOTAL FLOOR AREA - 51350 SQ.F1 SUBTERRANEAN GARAGE BI - 15,145 SQ.FT.

SUBTERRANEAN GARAGE B2 - 14,000 SQ.FT

ROOF TERRACE AREA - 4,500 SQ.FT.

LANDSCAPE AREA - 9,000 / 17,654 = 49%

PROJECT SUMMARY BUILDING ANALYSIS:

LEGAL DESCRIPTION

VINE COTTAGE TRACT LOT 18 BLK 2

TYPE OF CONSTRUCTION: III-A SPRINKLERED

ZONING

STORIES BUILDING HEIGHT 56'-6"

> PARKING ANALYSIS: ASSUMED MAXIMUM NUMBER OF BEDS (2PER ROOM) = 144 BEDS 17.654 SQ.FT ONE CAR PER 3 BEDS = 144/3 = 48 CARS

> > PARKING PROVIDED

B2 LEVEL 35 BI LEVEL 35 10 CARS


FAR: 57350 / 17654 = 3.25

VICINITY MAP

WATER PROOF WATER RESISTANT

WOOD WALL THICKNESS

T.O. T.C.S. T.C.Z. TEMP. THK. TYP. U.B.C. U.O.N. VERT.



REVISION • REVISION O DRAWN BY

· APPROVED

APPROVED

• REVISION

● PRINT DATE 02-26-19

• JOB NO SHEET NO

ajian - marcoosi architects inc

alajaijan • marcoosi architects In

0

alajajian • marcoasi architects Inc.

SITE / ROOF PLAN

SCALE: 3/16" = 1'-0"

THE ABOVE DEVAMOS AND SECRETARISHES AND SECRETAR



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addre

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SITE / ROOF PLAN

Scale: SITE / ROOF

KEYPLAN

APPROVED

APPROVED

REVISION

REVISION

• REITSION


O DRAWN BY

● PRINT DATE 02-26-19

OOB NO

.

A-1.0



SUBTERRANEAN PARKING LEVEL B2

SCALE: 3/16" = 1"-0"

THE ABOVE DIVANUES AND SPECIFICATIONS AND DIVANUES CANDIDATED THE BUT AND ANAMAGEMENT SPECIFIED THE BUT AND AN ANAMAGEMENT SPECIFIED THE BUT AND AN ANAMAGEMENT AND ANAMAGEMENT ANAMAGEMEN



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addre

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SUBTERRANEAN PARKING LEVEL B2

Scale: "=1'-0"

KEYPLAN

APPRO

APPROVED

REVISIO

REVISION

• REVISION


O DRAWN BY

• PRINT DATE 02-26-19

JOB NO
 SHEET NO

A-2.0

alajajian - marcaasi architects Inc.





Alajajian Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 524-45130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SUBTERRANEAN PARKING **↓LEVEL B1**

Scale: "=1'-0"

KEYPLAN

APPROVED

• APPROVED

• REVISION

• REVISION

ORAWN BY

O JOB NO

SHEET NO

A-2.1

THE ABOVE DRAWINGS AND SPECIFICATIONS AND DEAS, SISSIONS AND ARRACEMENTS SPECIFICATIONS TO ARCHITECT. AND NO PART THEREOF SHALL BE COPPED, DISCISSED TO OTHERS OR USED IN COM-INCTION WITH ANY WORK OR PROJECT OTHER THAN PERPARED MOD DESCRIPTION OF THE WITH CHIEF CONTROL OF THE ARCHITECT WITH CHIEF CONTROL AND SECURITY CONTROL SHALL CONTROL MINISTER DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECIDENCE ONE SHALL OWNERS SHALL WITH DIMENSIONS ON THESE DRAWINGS SHALL MINISTER DIMENSIONS ON THESE DRAWINGS SHALL MINISTER DIMENSIONS ON THE SECURITY SHOWS MINISTER SHALL MINISTER SHALL



Alajajian Marcoosi Architects In

Architects Inc.
320 W. Arden Ave. Suite 120
Glendale, CA 91203
Phone: (818) 244-5130
Fax: (818) 551-1613
E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

FIRST FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

APPRO

APPROVED

REVIS

WE VISI

REVISIO

DRAWN BY
 PRINT DATE 02 26

• JOB NO

SHEET NO

A-2.2



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addre

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

2ND FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPRO

@ APPRO

REVISION

● REVISION

REVISION
 DRAWN BY

• PRINT DATE 02-26-19

• JOB NO

SHEET NO

A-2.3

2ND FLOOR PLAN
SCALE: 3/16" = 1"-0"

201

218

217

STAIR 4

D

alajajian • morcoosi architects inc.

alajajian - marcoasi architects Inc

→) • • ≤

REAR SETBACK

A-42

LAUNDRY SHOOT

ELEV.

ELEV.

alajajian • marcoosi architects inc.

3RD FLOOR PLAN
SCALE:3/16' = 1'-0'

THE ABOVE DRAWNES AND SPECIFICATIONS A
DESP, DESDOR AND ARRANGEMENTS ERRESCHIHERRY MET AND SHALL SHAMN THE PROPERTY
HE MCHIEFLY. AND NO PART HERROF SHALL
NEED AND ARRANGE AND ARRANGE AND ARRANGE AND
NEED AND ARRANGE AND ARRANGE AND ARRANGE AND
NEED ARRANGE AND DESCRIPTION HITCH HAVE BE
PREPARED AND DESCRIPTION HER PREPARED
HISTORICAL DESCRIPTION HAVE BE
STRUCK CONTROL OF HER SESSION
HAVE PRECEDENCE OF THE SESSION
HAVE PRECEDENCE OF THE SESSION
HAVE PRECEDENCE OF THE SESSION
HAVE DESCRIPTION HER SESSION
HISTORICAL OF HAVE BE
PRESENTED THE SESSION HISTORY
HERS PREPARED AND SESSION HISTORY
HERS PREPARED AND SESSION HISTORY
HERS PREPARED AND SESSION HERS SESSION
HERS PREPARED
HERS PREPARED AND SESSION HERS SESSION
HERS PREPARED
HE



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addn

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

2ND FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPROVED

• REVISION

REVISION

• REVISION

O DRAWN BY

• PRINT DATE 02-26-19

• JOB NO

A-2.4

alajajian - marcoosi architects inc



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Addr

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

4TH FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPROVE

• APPRO

• REVISION

■ KE VISION

REVISION
 DRAWN BY


• PRINT DATE 02-26-19

• JOB NO

SHEET NO

....

A-2.5





320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

5TH FLOOR PLAN

Scale: "=1'-0"

KEYPLAN

• APPRO

• APPP

REVISION

REVISION

• REVISION

DRAWN BY
 BRINT DATE 00 06

• JOB NO

SHEET NO

A-2.6

5TH FLOOR PLAN
SCALE: 3/16" = 1'-0"

NURSING STATION

SITING AREA

lajajian • marcoosi architects inc

→ • • <u>=</u>

30'-0" REAR SETBACK

> C A-4.2

-LAUNDRY SHOOT IS

ELEV.

ELEV.

alajajian • marcoosi architects Inc.


| glajajian - marcoosi architects inc.



EXTERIOR FINISH MATERIALS:

- I. COMPOSITE WOOD PANELS "TRESPA" (CLASSIC OAK PUOZ) OR EQUAL
- 1.1 COMPOSITE WOOD PANELS "TRESPA" (AGED ASH PUIT) OR EQUAL.
- 2. 1/8"THK, STEEL TRANLED SMOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9240 IVORY.
- 3. 1/8"THK, STEEL TRAINLED SMOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9221 SHARK GRAY.
- METAL PANEL TRIM, FASCIA, COLUMNS "ALPOLIC" OR EQUAL CHAMPAGNE METALIC COLORITYP.).
- 5. BIOO SERIES CRL US ALUMINUM, FIXED MINDOWS W CLEAR ANODIZED ALUMINUM FRAME WOULL PANE E GLASS.
- 6. 3250 SERIES CRL US ALUMINUM, SPANDREL GLASS/CURTAIN WALL SYSTEM NV DUAL PANE LOW-E GLASS, CLEAR ANODIZED FRAME TO MATCH STOREFRONT
- ANODIZED ALUMINUM DOOR AND WINDOWS W DUAL GLAZED LOW "E" VISION GLASS
- 6. I/4" W. ALUMINUM REVEAL. "FRY REGLET" OR EQUAL/TYP.)
- 9. 9" HIGH 3/" STROKE STAINLESS STEEL ADDRESS NUMBERS
- IO. 42" HIGH GLASS RAIL

SOUTH ELEVATION





Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SOUTH AND EAST **▲ELEVATIONS**

Scale: "=1'-0"

KEYPLAN

APPROVED

• APPROVED

• REVISION

REVISION

• REVISION

DRAWN BY

PRINT DATE 02-26-19

• JOB NO SHEET NO

A-3.1

alajajian - marcoasi architects Inc.


TOP OF PARAPET 6 508.50 ROBE TERRACE FIN. FL. 5TH FIN. FL. 6 496.00 4TH FIN. FL. • 486.00 9RD FIN. FL. 476.00 9 2ND FIN. FL.

151 FIN FL. 9 452.00

EXTERIOR FINISH MATERIALS:

- I. COMPOSITE MOOD PANELS "TRESPA" (CLASSIC OAK PUO2) OR EQUAL
- I.I COMPOSITE WOOD PANELS "TRESPA" (AGED ASH PUT) OR EQUAL.
- T/B*THK. STEEL TRAWLED SMOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9240 IVORY.
- 3. 1/8"HK, STEEL TRANLED SHOOTH FINISH CEMENT PLASTER, "OMEGA PRODUCTS INTERNATIONAL" COLOR 9227 SHARK GRAY.
- METAL PANEL TRIM AND FASCIA, "ALPOLIC" OR EQUAL CHAMPAGNE METALIC COLOR(TYP.).
- 5. 8100 SERIES CRL US ALUMINUM, FIXED MINDOWS W CLEAR ANODIZED ALUMINUM FRAME WOULL PANE E GLASS.
- 3250 SERIES CRL US ALIMINIM, SPANDREL GLASS/CURTAIN WALL SYSTEM W. DUAL PANE LOW-E GLASS, CLEAR ANODIZED FRAME TO MATCH STOREFRONT
- ANODIZED ALIMINIM DOOR AND WINDOWS W DUAL GLAZED LOW "E" VISION GLASS
- 8. 1/4" W. ALUMINUM REVEAL, "FRY REGLET" OR EQUAL(TYP)
- 4. 4" HIGH, 34" STROKE, STAINLESS STEEL ADDRESS NUMBERS
- IO. 42" HIGH GLASS RAIL

NORTH ELEVATION



2 WEST ELEVATION
SCALE: 1/8" = 1'-0"



Alajajian Marcoosi Architects Inc.

320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

Owner Address:

72 ROOM CONGREGATE LIVING

129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

NORTH AND WEST **♦ELEVATIONS**

Scale: **"=1'-0"**

KEYPLAN

APPROVED

• APPROVED

• REVISION

• REVISION

• REVISION


ORAWN BY

• PRINT DATE 02-26-19

• JOB NO

SHEET NO

A-3.2



SECTION "A-A"



Alajajian Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SECTION "A-A"

Scale: "=1'-0"

KEYPLAN

REVISION

• REVISION

• REVISION

● PRINT DATE 02-26-19

O JOB NO

SHEET NO

A-4.1



Alajajian Marcoosi Architects Inc. 320 W. Arden Ave. Suite 120 Glendale, CA 91203 Phone: (818) 244-5130 Fax: (818) 551-1613 E-mail: aramar@worldnet.att.net

ALBER KARAMANOUKIAN

72 ROOM CONGREGATE LIVING

Project Address: 129-133 W. LOS FELIZ RD. GLENDALE, CA 91204

SECTION "A-A"

Scale: "=1'-0"

KEYPLAN

APPROVED

APPROVED

• REVISION

• REVISION

• REVISION

O DRAWN BY

• PRINT DATE 02-26-19

JOB NO

SHEET NO

A - 4.2

