

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**1248 Corona Drive (Single-family Residence)**  
**Los Angeles-South Coast County, Summer**

**1.0 Project Characteristics**

---

**1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Single Family Housing	1.00	Dwelling Unit	0.20	2,844.00	3

**1.2 Other Project Characteristics**

<b>Urbanization</b>	Urban	<b>Wind Speed (m/s)</b>	2.2	<b>Precipitation Freq (Days)</b>	33
<b>Climate Zone</b>	9			<b>Operational Year</b>	2021
<b>Utility Company</b>	Los Angeles Department of Water & Power				
<b>CO2 Intensity (lb/MW hr)</b>	1227.89	<b>CH4 Intensity (lb/MW hr)</b>	0.029	<b>N2O Intensity (lb/MW hr)</b>	0.006

**1.3 User Entered Comments & Non-Default Data**

Project Characteristics - Two-story, 2,299 square-foot single-family dwelling w/ a 545 square-foot two-car garage on a 8,889 square-foot lot. Total export of 1,058 cubic yards of soil.

Land Use - Parcel size is 8,889 square-feet (0.2 acre) and the single-family dwelling size is 2,299 square-feet with an attached 545 two-car garage.

Construction Phase - The project site is a vacant hillside property without any buildings or structures. As a result, zero days of demolition is provided within this air quality model.

Demolition - Vacant site. Zero square-footage of building or structure demolition.

Grading -

Energy Use -

## 1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	PhaseEndDate	11/17/2021	11/16/2021
tblConstructionPhase	PhaseEndDate	11/3/2021	11/2/2021
tblConstructionPhase	PhaseEndDate	6/11/2021	6/9/2021
tblConstructionPhase	PhaseEndDate	6/16/2021	6/15/2021
tblConstructionPhase	PhaseEndDate	11/10/2021	11/9/2021
tblConstructionPhase	PhaseEndDate	6/14/2021	6/11/2021
tblConstructionPhase	PhaseStartDate	11/11/2021	11/10/2021
tblConstructionPhase	PhaseStartDate	6/17/2021	6/16/2021
tblConstructionPhase	PhaseStartDate	5/31/2021	6/10/2021
tblConstructionPhase	PhaseStartDate	6/15/2021	6/12/2021
tblConstructionPhase	PhaseStartDate	11/4/2021	11/3/2021
tblConstructionPhase	PhaseStartDate	6/12/2021	6/11/2021
tblGrading	MaterialExported	0.00	1,058.00
tblLandUse	LandUseSquareFeet	1,800.00	2,844.00
tblLandUse	LotAcreage	0.32	0.20

## 2.0 Emissions Summary

---



1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**2.2 Overall Operational**

**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	0.3257	0.0217	0.5912	1.3000e-003		0.0768	0.0768		0.0768	0.0768	9.3669	18.1486	27.5155	0.0281	6.4000e-004	28.4069
Energy	8.1000e-004	6.9400e-003	2.9500e-003	4.0000e-005		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004		8.8556	8.8556	1.7000e-004	1.6000e-004	8.9083
Mobile	0.0192	0.0905	0.2639	9.1000e-004	0.0720	7.5000e-004	0.0728	0.0193	7.0000e-004	0.0200		92.5539	92.5539	4.8100e-003		92.6740
<b>Total</b>	<b>0.3458</b>	<b>0.1192</b>	<b>0.8581</b>	<b>2.2500e-003</b>	<b>0.0720</b>	<b>0.0782</b>	<b>0.1502</b>	<b>0.0193</b>	<b>0.0781</b>	<b>0.0974</b>	<b>9.3669</b>	<b>119.5581</b>	<b>128.9250</b>	<b>0.0331</b>	<b>8.0000e-004</b>	<b>129.9892</b>

**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	0.3257	0.0217	0.5912	1.3000e-003		0.0768	0.0768		0.0768	0.0768	9.3669	18.1486	27.5155	0.0281	6.4000e-004	28.4069
Energy	8.1000e-004	6.9400e-003	2.9500e-003	4.0000e-005		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004		8.8556	8.8556	1.7000e-004	1.6000e-004	8.9083
Mobile	0.0192	0.0905	0.2639	9.1000e-004	0.0720	7.5000e-004	0.0728	0.0193	7.0000e-004	0.0200		92.5539	92.5539	4.8100e-003		92.6740
<b>Total</b>	<b>0.3458</b>	<b>0.1192</b>	<b>0.8581</b>	<b>2.2500e-003</b>	<b>0.0720</b>	<b>0.0782</b>	<b>0.1502</b>	<b>0.0193</b>	<b>0.0781</b>	<b>0.0974</b>	<b>9.3669</b>	<b>119.5581</b>	<b>128.9250</b>	<b>0.0331</b>	<b>8.0000e-004</b>	<b>129.9892</b>

## 1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

---

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	6/10/2021	6/9/2021	5	10	
2	Site Preparation	Site Preparation	6/11/2021	6/11/2021	5	1	
3	Grading	Grading	6/12/2021	6/15/2021	5	2	
4	Building Construction	Building Construction	6/16/2021	11/2/2021	5	100	
5	Paving	Paving	11/3/2021	11/9/2021	5	5	
6	Architectural Coating	Architectural Coating	11/10/2021	11/16/2021	5	5	

Acres of Grading (Site Preparation Phase): 0.5

Acres of Grading (Grading Phase): 0

Acres of Paving: 0

Residential Indoor: 5,759; Residential Outdoor: 1,920; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

#### OffRoad Equipment

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Rubber Tired Dozers	1	1.00	247	0.40
Demolition	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Site Preparation	Graders	1	8.00	187	0.41
Site Preparation	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Grading	Concrete/Industrial Saws	1	8.00	81	0.73
Grading	Rubber Tired Dozers	1	1.00	247	0.40
Grading	Tractors/Loaders/Backhoes	2	6.00	97	0.37
Building Construction	Cranes	1	4.00	231	0.29
Building Construction	Forklifts	2	6.00	89	0.20
Building Construction	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Paving	Cement and Mortar Mixers	4	6.00	9	0.56
Paving	Pavers	1	7.00	130	0.42
Paving	Rollers	1	7.00	80	0.38
Paving	Tractors/Loaders/Backhoes	1	7.00	97	0.37
Architectural Coating	Air Compressors	1	6.00	78	0.48

**Trips and VMT**

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	4	10.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	2	5.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	4	10.00	0.00	132.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	5	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	0.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT







1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.2 Demolition - 2021**

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>

**3.3 Site Preparation - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.5303	0.0000	0.5303	0.0573	0.0000	0.0573			0.0000			0.0000
Off-Road	0.6403	7.8204	4.0274	9.7300e-003		0.2995	0.2995		0.2755	0.2755		942.5842	942.5842	0.3049		950.2055
<b>Total</b>	<b>0.6403</b>	<b>7.8204</b>	<b>4.0274</b>	<b>9.7300e-003</b>	<b>0.5303</b>	<b>0.2995</b>	<b>0.8297</b>	<b>0.0573</b>	<b>0.2755</b>	<b>0.3328</b>		<b>942.5842</b>	<b>942.5842</b>	<b>0.3049</b>		<b>950.2055</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.3 Site Preparation - 2021**

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0214	0.0147	0.2014	5.7000e-004	0.0559	4.5000e-004	0.0563	0.0148	4.2000e-004	0.0152		56.9385	56.9385	1.6800e-003		56.9804
<b>Total</b>	<b>0.0214</b>	<b>0.0147</b>	<b>0.2014</b>	<b>5.7000e-004</b>	<b>0.0559</b>	<b>4.5000e-004</b>	<b>0.0563</b>	<b>0.0148</b>	<b>4.2000e-004</b>	<b>0.0152</b>		<b>56.9385</b>	<b>56.9385</b>	<b>1.6800e-003</b>		<b>56.9804</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.5303	0.0000	0.5303	0.0573	0.0000	0.0573			0.0000			0.0000
Off-Road	0.6403	7.8204	4.0274	9.7300e-003		0.2995	0.2995		0.2755	0.2755	0.0000	942.5842	942.5842	0.3049		950.2055
<b>Total</b>	<b>0.6403</b>	<b>7.8204</b>	<b>4.0274</b>	<b>9.7300e-003</b>	<b>0.5303</b>	<b>0.2995</b>	<b>0.8297</b>	<b>0.0573</b>	<b>0.2755</b>	<b>0.3328</b>	<b>0.0000</b>	<b>942.5842</b>	<b>942.5842</b>	<b>0.3049</b>		<b>950.2055</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.3 Site Preparation - 2021**

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0214	0.0147	0.2014	5.7000e-004	0.0559	4.5000e-004	0.0563	0.0148	4.2000e-004	0.0152		56.9385	56.9385	1.6800e-003		56.9804
<b>Total</b>	<b>0.0214</b>	<b>0.0147</b>	<b>0.2014</b>	<b>5.7000e-004</b>	<b>0.0559</b>	<b>4.5000e-004</b>	<b>0.0563</b>	<b>0.0148</b>	<b>4.2000e-004</b>	<b>0.0152</b>		<b>56.9385</b>	<b>56.9385</b>	<b>1.6800e-003</b>		<b>56.9804</b>

**3.4 Grading - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.8126	0.0000	0.8126	0.4228	0.0000	0.4228			0.0000			0.0000
Off-Road	0.7965	7.2530	7.5691	0.0120		0.4073	0.4073		0.3886	0.3886		1,147.4338	1,147.4338	0.2138		1,152.7797
<b>Total</b>	<b>0.7965</b>	<b>7.2530</b>	<b>7.5691</b>	<b>0.0120</b>	<b>0.8126</b>	<b>0.4073</b>	<b>1.2199</b>	<b>0.4228</b>	<b>0.3886</b>	<b>0.8114</b>		<b>1,147.4338</b>	<b>1,147.4338</b>	<b>0.2138</b>		<b>1,152.7797</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.4 Grading - 2021**

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.5503	17.7041	4.1511	0.0515	1.1540	0.0543	1.2084	0.3163	0.0520	0.3683		5,586.5454	5,586.5454	0.3791		5,596.0235
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0429	0.0295	0.4028	1.1400e-003	0.1118	9.0000e-004	0.1127	0.0296	8.3000e-004	0.0305		113.8770	113.8770	3.3600e-003		113.9609
<b>Total</b>	<b>0.5932</b>	<b>17.7335</b>	<b>4.5539</b>	<b>0.0526</b>	<b>1.2658</b>	<b>0.0552</b>	<b>1.3211</b>	<b>0.3460</b>	<b>0.0528</b>	<b>0.3988</b>		<b>5,700.4224</b>	<b>5,700.4224</b>	<b>0.3825</b>		<b>5,709.9843</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.8126	0.0000	0.8126	0.4228	0.0000	0.4228			0.0000			0.0000
Off-Road	0.7965	7.2530	7.5691	0.0120		0.4073	0.4073		0.3886	0.3886	0.0000	1,147.4338	1,147.4338	0.2138		1,152.7797
<b>Total</b>	<b>0.7965</b>	<b>7.2530</b>	<b>7.5691</b>	<b>0.0120</b>	<b>0.8126</b>	<b>0.4073</b>	<b>1.2199</b>	<b>0.4228</b>	<b>0.3886</b>	<b>0.8114</b>	<b>0.0000</b>	<b>1,147.4338</b>	<b>1,147.4338</b>	<b>0.2138</b>		<b>1,152.7797</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.4 Grading - 2021**

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.5503	17.7041	4.1511	0.0515	1.1540	0.0543	1.2084	0.3163	0.0520	0.3683		5,586.5454	5,586.5454	0.3791		5,596.0235
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0429	0.0295	0.4028	1.1400e-003	0.1118	9.0000e-004	0.1127	0.0296	8.3000e-004	0.0305		113.8770	113.8770	3.3600e-003		113.9609
<b>Total</b>	<b>0.5932</b>	<b>17.7335</b>	<b>4.5539</b>	<b>0.0526</b>	<b>1.2658</b>	<b>0.0552</b>	<b>1.3211</b>	<b>0.3460</b>	<b>0.0528</b>	<b>0.3988</b>		<b>5,700.4224</b>	<b>5,700.4224</b>	<b>0.3825</b>		<b>5,709.9843</b>

**3.5 Building Construction - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7750	7.9850	7.2637	0.0114		0.4475	0.4475		0.4117	0.4117		1,103.2158	1,103.2158	0.3568		1,112.1358
<b>Total</b>	<b>0.7750</b>	<b>7.9850</b>	<b>7.2637</b>	<b>0.0114</b>		<b>0.4475</b>	<b>0.4475</b>		<b>0.4117</b>	<b>0.4117</b>		<b>1,103.2158</b>	<b>1,103.2158</b>	<b>0.3568</b>		<b>1,112.1358</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.5 Building Construction - 2021**

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7750	7.9850	7.2637	0.0114		0.4475	0.4475		0.4117	0.4117	0.0000	1,103.2158	1,103.2158	0.3568		1,112.1358
<b>Total</b>	<b>0.7750</b>	<b>7.9850</b>	<b>7.2637</b>	<b>0.0114</b>		<b>0.4475</b>	<b>0.4475</b>		<b>0.4117</b>	<b>0.4117</b>	<b>0.0000</b>	<b>1,103.2158</b>	<b>1,103.2158</b>	<b>0.3568</b>		<b>1,112.1358</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.5 Building Construction - 2021**

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>

**3.6 Paving - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7214	6.7178	7.0899	0.0113		0.3534	0.3534		0.3286	0.3286		1,035.3425	1,035.3425	0.3016		1,042.8818
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>0.7214</b>	<b>6.7178</b>	<b>7.0899</b>	<b>0.0113</b>		<b>0.3534</b>	<b>0.3534</b>		<b>0.3286</b>	<b>0.3286</b>		<b>1,035.3425</b>	<b>1,035.3425</b>	<b>0.3016</b>		<b>1,042.8818</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.6 Paving - 2021**

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
<b>Total</b>	<b>0.0772</b>	<b>0.0530</b>	<b>0.7250</b>	<b>2.0600e-003</b>	<b>0.2012</b>	<b>1.6300e-003</b>	<b>0.2028</b>	<b>0.0534</b>	<b>1.5000e-003</b>	<b>0.0549</b>		<b>204.9786</b>	<b>204.9786</b>	<b>6.0400e-003</b>		<b>205.1296</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.7214	6.7178	7.0899	0.0113		0.3534	0.3534		0.3286	0.3286	0.0000	1,035.3425	1,035.3425	0.3016		1,042.8818
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
<b>Total</b>	<b>0.7214</b>	<b>6.7178</b>	<b>7.0899</b>	<b>0.0113</b>		<b>0.3534</b>	<b>0.3534</b>		<b>0.3286</b>	<b>0.3286</b>	<b>0.0000</b>	<b>1,035.3425</b>	<b>1,035.3425</b>	<b>0.3016</b>		<b>1,042.8818</b>



1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.6 Paving - 2021**

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
<b>Total</b>	<b>0.0772</b>	<b>0.0530</b>	<b>0.7250</b>	<b>2.0600e-003</b>	<b>0.2012</b>	<b>1.6300e-003</b>	<b>0.2028</b>	<b>0.0534</b>	<b>1.5000e-003</b>	<b>0.0549</b>		<b>204.9786</b>	<b>204.9786</b>	<b>6.0400e-003</b>		<b>205.1296</b>

**3.7 Architectural Coating - 2021**

**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	3.5592					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2189	1.5268	1.8176	2.9700e-003		0.0941	0.0941		0.0941	0.0941		281.4481	281.4481	0.0193		281.9309
<b>Total</b>	<b>3.7781</b>	<b>1.5268</b>	<b>1.8176</b>	<b>2.9700e-003</b>		<b>0.0941</b>	<b>0.0941</b>		<b>0.0941</b>	<b>0.0941</b>		<b>281.4481</b>	<b>281.4481</b>	<b>0.0193</b>		<b>281.9309</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.7 Architectural Coating - 2021**

**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	3.5592					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2189	1.5268	1.8176	2.9700e-003		0.0941	0.0941		0.0941	0.0941	0.0000	281.4481	281.4481	0.0193		281.9309
<b>Total</b>	<b>3.7781</b>	<b>1.5268</b>	<b>1.8176</b>	<b>2.9700e-003</b>		<b>0.0941</b>	<b>0.0941</b>		<b>0.0941</b>	<b>0.0941</b>	<b>0.0000</b>	<b>281.4481</b>	<b>281.4481</b>	<b>0.0193</b>		<b>281.9309</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**3.7 Architectural Coating - 2021**

**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
<b>Total</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>	<b>0.0000</b>	<b>0.0000</b>		<b>0.0000</b>

**4.0 Operational Detail - Mobile**

---

**4.1 Mitigation Measures Mobile**

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.0192	0.0905	0.2639	9.1000e-004	0.0720	7.5000e-004	0.0728	0.0193	7.0000e-004	0.0200		92.5539	92.5539	4.8100e-003		92.6740
Unmitigated	0.0192	0.0905	0.2639	9.1000e-004	0.0720	7.5000e-004	0.0728	0.0193	7.0000e-004	0.0200		92.5539	92.5539	4.8100e-003		92.6740

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Single Family Housing	9.52	9.91	8.62	32,282	32,282
Total	9.52	9.91	8.62	32,282	32,282

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Single Family Housing	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Single Family Housing	0.547192	0.045177	0.202743	0.121510	0.016147	0.006143	0.019743	0.029945	0.002479	0.002270	0.005078	0.000682	0.000891

5.0 Energy Detail

Historical Energy Use: N

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

### 5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	8.1000e-004	6.9400e-003	2.9500e-003	4.0000e-005		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004		8.8556	8.8556	1.7000e-004	1.6000e-004	8.9083
NaturalGas Unmitigated	8.1000e-004	6.9400e-003	2.9500e-003	4.0000e-005		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004		8.8556	8.8556	1.7000e-004	1.6000e-004	8.9083

### 5.2 Energy by Land Use - NaturalGas

#### Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Single Family Housing	75.2728	8.1000e-004	6.9400e-003	2.9500e-003	4.0000e-005		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004		8.8556	8.8556	1.7000e-004	1.6000e-004	8.9083
<b>Total</b>		<b>8.1000e-004</b>	<b>6.9400e-003</b>	<b>2.9500e-003</b>	<b>4.0000e-005</b>		<b>5.6000e-004</b>	<b>5.6000e-004</b>		<b>5.6000e-004</b>	<b>5.6000e-004</b>		<b>8.8556</b>	<b>8.8556</b>	<b>1.7000e-004</b>	<b>1.6000e-004</b>	<b>8.9083</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

### 5.2 Energy by Land Use - Natural Gas

#### Mitigated

	Natural Gas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Single Family Housing	0.0752728	8.1000e-004	6.9400e-003	2.9500e-003	4.0000e-005		5.6000e-004	5.6000e-004		5.6000e-004	5.6000e-004		8.8556	8.8556	1.7000e-004	1.6000e-004	8.9083
<b>Total</b>		<b>8.1000e-004</b>	<b>6.9400e-003</b>	<b>2.9500e-003</b>	<b>4.0000e-005</b>		<b>5.6000e-004</b>	<b>5.6000e-004</b>		<b>5.6000e-004</b>	<b>5.6000e-004</b>		<b>8.8556</b>	<b>8.8556</b>	<b>1.7000e-004</b>	<b>1.6000e-004</b>	<b>8.9083</b>

### 6.0 Area Detail

#### 6.1 Mitigation Measures Area

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.3257	0.0217	0.5912	1.3000e-003		0.0768	0.0768		0.0768	0.0768	9.3669	18.1486	27.5155	0.0281	6.4000e-004	28.4069
Unmitigated	0.3257	0.0217	0.5912	1.3000e-003		0.0768	0.0768		0.0768	0.0768	9.3669	18.1486	27.5155	0.0281	6.4000e-004	28.4069

6.2 Area by SubCategory  
 Unmitigated

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio-CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	4.8800e-003					0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Consumer Products	0.0563					0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Hearth	0.2620	0.0208	0.5086		1.3000e-003	0.0764	0.0764	0.0764	0.0764	0.0764	9.3669	18.0000	27.3669	0.0279	6.4000e-004	28.2547
Landscaping	2.5100e-003	9.5000e-004	0.0827	0.0000	4.6000e-004	0.0764	4.6000e-004	4.6000e-004	4.6000e-004	4.6000e-004		0.1486	0.1486	1.4000e-004		0.1522
<b>Total</b>	<b>0.3257</b>	<b>0.0217</b>	<b>0.5912</b>	<b>1.3000e-003</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>9.3669</b>	<b>18.1486</b>	<b>27.5155</b>	<b>0.0281</b>	<b>6.4000e-004</b>	<b>28.4069</b>

1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**6.2 Area by Subcategory**  
**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Subcategory	lb/day										lb/day					
Architectural Coating 003	4.8800e-003				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Consumer Products	0.0563				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Hearth	0.2620	0.0208	0.5086	1.3000e-003	0.0764	0.0764	0.0764	0.0764	0.0764	0.0764	9.3669	18.0000	27.3669	0.0279	6.4000e-004	28.2547
Landscaping	2.5100e-003	9.5000e-004	0.0827	0.0000	4.6000e-004	4.6000e-004	4.6000e-004	4.6000e-004	4.6000e-004	4.6000e-004			0.1486	1.4000e-004		0.1522
<b>Total</b>	<b>0.3257</b>	<b>0.0217</b>	<b>0.5912</b>	<b>1.3000e-003</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>0.0769</b>	<b>9.3669</b>	<b>18.1486</b>	<b>27.5155</b>	<b>0.0281</b>	<b>6.4000e-004</b>	<b>28.4069</b>

**7.1 Mitigation Measures Water**

**8.0 Waste Detail**

**8.1 Mitigation Measures Waste**

**9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

**10.0 Stationary Equipment**



1248 Corona Drive (Single-family Residence) - Los Angeles-South Coast County, Summer

**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

**Boilers**

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

**User Defined Equipment**

Equipment Type	Number
----------------	--------

**11.0 Vegetation**

---