

## CITY OF GLENDALE, CA

### **DESIGN REVIEW STAFF REPORT - SINGLE FAMILY**

March 4, 2023 1170 N Kenilworth Avenue

Decision Date Address

Administrative Design Review (ADR) 5634-025-202

Review Type APN

PADR-002378-2023 Armen Hagobian

Case Number Applicant

Chloe Cuffel, Planner Alek Kotolyan

Case Planner Owner

## **Project Summary**

The applicant is proposing to demolish an existing 1,193 square foot, single-family house (built in 1925) and construct a new two-story,5,634 square-foot, three-unit multi-family residential building with two, two-car attached garages on a 9,288 square-foot lot. The contemporary style triplex will include a the following total floor area: Unit "A" 1,484 square-feet, Unit "B" 1,486 square-feet, and Unit "C" 1,464 square-feet, and each unit proposes and attached 400 square-foot garage. The site is located in the R-3050 (Moderate Density Residential) Zone.

### **Environmental Review**

The project is exempt from CEQA review as a Class 3 "New Construction or Conversion of Small Structures" exemption pursuant to Section 15303 of the State CEQA Guidelines because the project is located in an urbanized area and involves a new multi-family residential structure with three units, where the maximum allowed under this exemption is six units.

## **Existing Property/Background**

The 9,288 square-foot site is an irregularly shaped lot with 25 feet of frontage on Kenilworth Ave. The project site was originally developed in 1925 with a 1,193 square foot, single-family residence and a detached garage. The house was designed in the Minimal Traditional style with a steep roof-pitch and siding. The site topography consists of relatively flat terrain and is mostly rectangular, with a triangle-type frontage on Kenilworth Avenue, consistent with neighboring lots. The site is located in close proximity to Eleanor J Toll Middle School and Saint Peter Armenian Church, which also includes Taline Christian Preschool.

### **Staff Recommendation**

Approve with Conditions

## **Last Date Reviewed / Decision**

First time submittal for final review.

Zone: R-3050	(Moderate	Density	/ Residential)	<b>Zone</b>
--------------	-----------	---------	----------------	-------------

Although this design review does not convey final zoning approval, the project has been reviewed for consistency with the applicable Codes and no inconsistencies have been identified.

Active/Pending Permits and Approvals
--------------------------------------

None.

## **Site Slope and Grading**

(cut and/or fill); no additional review required.
DESIGN ANALYSIS
Site Planning Are the following items satisfactory and compatible with the project site and surrounding area?
Building Location ⊠ yes □ n/a □ no
If "no" select from below and explain:  ☐ Setbacks of buildings on site ☐ Prevailing setbacks on the street ☐ Building and decks follow topography ☐ Alteration of landform minimized
Yards and Usable Open Space ⊠ yes □ n/a □ no
<ul> <li>If "no" select from below and explain:</li> <li>□ Avoid altering landform to create flat yards</li> <li>□ Outdoor areas integrated into open space</li> <li>□ Use of retaining walls minimized</li> <li>□ Provide landscaping to reduce visual impact of retaining walls</li> <li>□ Decorative material used for retaining walls to blend into landscape and/or complement the building design</li> </ul>

Garage	Location	and Drivey	vay
M VAS	□ n/a	□no	

If "no" select from below and explain:  ☐ Consistent with predominant pattern on street ☐ Compatible with primary structure ☐ Permeable paving material ☐ Decorative paving
Landscape Design (Existing Landscaping to Remain)  ☑ yes □ n/a □ no
If "no" select from below and explain:  ☐ Complementary to building design and surrounding site ☐ Maintains existing trees when possible ☐ Maximizes permeable surfaces ☐ Appropriately sized and located
Walls and Fences □ yes □ n/a ☒ no
If "no" select from below and explain:  □ Appropriate style/color/material □ Perimeter walls treated at both sides □ Retaining walls minimized □ Appropriately sized and located □ Stormwater runoff minimized
No perimiter walls or outdoor space fences have been identified on the plans. A condition is included to show all fences, inluding material type, for Planning review and approval.

## **Determination of Compatibility: Site Planning**

The proposed site planning is appropriate, as modified by any proposed conditions, to the site and its surroundings for the following reasons:

- The new three-unit multi-family building will face North Kenilworth Avenue and will
  maintain the prevailing street front setback for the residential properties along this
  street consistent with the neighborhood.
- The three new 400 square feet attached garages will be accessed via a driveway access from on North Kenilworth. The garages are appropriately incorporated into the building's overall design and will not be visible from the street.
- The trash bins are located towards the rear of the property behind screening that is integrated into the building and appropriate to the site.
- The project includes 600 square-feet of private open space at the rear of the property for residential use.
- The proposal exceeds the minimum required landscaping ratio and will maintain a front lawn similar to the neighboring properties.
- No perimeter walls or fences are called out on the plans; a condition has been included to show all fences, inluding material type for Planning review and approval.

Are the following items satisfactory and compatible with the project site and surrounding area?

Building Relates to its Surrounding Context ⊠ yes □ n/a □ no
If "no" select from below and explain:  ☐ Appropriate proportions and transitions ☐ Impact of larger building minimized
Building Relates to Existing Topography ⊠ yes □ n/a □ no
If "no" select from below and explain:  ☐ Form and profile follow topography ☐ Alteration of existing land form minimized ☐ Retaining walls terrace with slope
Consistent Architectural Concept ⊠ yes □ n/a □ no
If "no" select from below and explain:  ☐ Concept governs massing and height
Scale and Proportion ☑ yes □ n/a □ no
If "no" select from below and explain:  ☐ Scale and proportion fit context ☐ Articulation avoids overbearing forms ☐ Appropriate solid/void relationships ☐ Entry and major features well located ☐ Avoids sense of monumentality
Roof Forms ⊠ yes □ n/a □ no
<ul><li>If "no" select from below and explain:</li><li>□ Roof reinforces design concept</li><li>□ Configuration appropriate to context</li></ul>

## **Determination of Compatibility: Mass and Scale**

The proposed massing and scale are appropriate, as modified by any proposed conditions, to the site and its surroundings for the following reasons:

- Overall, the mass, height, proportions, and architectural concept of the project are consistent with and appropriate to the existing neighborhood.
- The site is located in a multi-family zone and is surrounded by mostly two- and threestory multi-family buildings to the north and west. Directly east and across the street to the west side of Kenilworth, there are existing one- and two-story single-family homes. The mass and scale of the proposed building are appropriate to the surrounding development pattern.
- The proposal is contemporary in style and the second story is appropriately setback to break up the building's massing.
- The massing is broken up by recessed building forms, breaks in roof and walls, fenestration and cladding material. Applying these features appropriately avoids long, blank horizontal facades as it creates an interesting design element and minimizes a boxy outline.
- The applicant's use of combined materials (stucco and siding) and different colors help to reinforce the reading of different volumes, and articulates the building.

<b>Design and Detailing</b> Are the following items satisfactory and compatible with the project site and surrounding area?
Overall Design and Detailing ⊠ yes □ n/a □ no
<ul> <li>If "no" select from below and explain:</li> <li>□ Consistent architectural concept</li> <li>□ Proportions appropriate to project and surrounding neighborhood</li> <li>□ Appropriate solid/void relationships</li> </ul>
Entryway ⊠ yes   □ n/a   □ no
<ul> <li>If "no" select from below and explain:</li> <li>□ Well integrated into design</li> <li>□ Avoids sense of monumentality</li> <li>□ Design provides appropriate focal point</li> <li>□ Doors appropriate to design</li> </ul>
Windows □ yes □ n/a ⊠ no
If "no" select from below and explain:  ☑ Appropriate to overall design  ☐ Placement appropriate to style  ☐ Recessed in wall, when appropriate

The applicant has selected vinyl block frame windows, which are appropriate to the style of the building. However, several of the proposed windows are sliders and will be

visible from the street. To better enhance the design of the building, a condition is included to replace the slider windows with casement, hung, or fixed.

Privacy
⊠ yes □ n/a □ no
If "no" select from below and explain:
☐ Consideration of views from "public" rooms and balconies/decks
☐ Avoid windows facing adjacent windows
Finish Materials and Color
⊠ yes □ n/a □ no
If "no" select from below and explain:
☐ Textures and colors reinforce design
☐ High-quality, especially facing the street
☐ Respect articulation and façade hierarchy
☐ Wrap corners and terminate appropriately
☐ Natural colors appropriate to hillside area
Paving Materials  ☐ yes ☐ n/a ☒ no
If "no" select from below and explain:
□ Decorative material at entries/driveways
☐ Permeable paving when possible
☐ Material and color related to design
The driveway material is not identified on the plans. A condition is included to call out
the proposed decorative driveway material on the site plan.
Lighting, Equipment, Trash, and Drainage
□ yes □ n/a ⊠ no
If "no" select from below and explain:
□ Light fixtures appropriately located/avoid spillover and over-lit facades
☐ Light fixture design appropriate to project
☐ Equipment screened and well located
<ul><li>□ Trash storage out of public view</li><li>⋈ Downspouts appropriately located</li></ul>
☐ Vents, utility connections integrated with design, avoid primary facades
Location of lighting fixtures and downspouts not properly identified on the plans. A
condition is included to show the location of all proposed site lighting and light fixtures
on the building limited to the main entry and patio doors, and a condition is included to
show downspouts on the building, finished to match the adjacent wall color. This is
information is to be submitted for staff review and approval prior to plan check submittal
Ancillary Structures
□ yes □ n/a □ no

If "no" select from below and explain:	
□ Design consistent with primary structure	
☐ Design and materials of gates complement prim	ary structure

### **Determination of Compatibility: Design and Detailing**

The proposed design and detailing are appropriate, as modified by any proposed conditions, to the site and its surroundings for the following reasons:

- The overall design, detailing and architectural concept of the building is consistent with the Contemporary design, appropriate to the site and the neighborhood.
- The project materials include a metal roof, La Habra stucco and Hardie siding. The balconies will used metal railings. The proposed variety of finishes for the building help reinforce the overall contemporary building design.
- Location of lighting fixtures and downspouts not properly identified on the plans. . A
  condition is included to show the location of all proposed site lighting and light
  fixtures on the building limited to the main entry and patio doors, and a condition is
  included to show downspouts on the building, finished to match the adjacent wall
  color. This is information is to be submitted for staff review and approval prior to plan
  check submittal.
- The applicant has selected vinyl block frame windows, which are appropriate to the style of the building. However, several of the proposed windows are sliders and will be visible from the street. A condition has been included to revise the sliders to an option more appropriate, such as casement, hung, or fixed.
- The driveway material is not identified on the plans. A condition is included to call out the proposed decorative driveway material on the site plan.
- The balconies are appropriately setback from front and interior lot lines and do not pose privacy concerns to neighboring properties. The balconies facing north, neighboring a single-family residence, were thoughtfully designed with driveway separation to mitigate potential privacy concerns.

### Recommendation / Draft Record of Decision

Based on the above analysis, staff recommends **Approval.** This determination is based on the implementation of the following recommended conditions:

### **Conditions**

- 1. Replace the sliding windows with casement, hung or fixed type window and show this information on the window schedule and elevation drawings.
- 2. Revise drawings to show decorative driveway material and include this information on the site plan.
- 3. Show the location of all proposed site lighting and light fixtures on the building limited to the main entry and patio doors.
- 4. Show downspouts on the building, finished to match the adjacent wall color.

### **Attachments**

Reduced Plans

7

- Location Map
   Photo Survey

# KOTOLYAN UNITS

OWNER

ALEK KOTOLYAN
6130 COLDWATER CANYON AVE. UNIT 313
VALLEY GLEN, CA 91606
TEL: (818) 987-5857

PROJECT ADDRESS:

1170 N KENILWORTH AVE GLENDALE, CA 91202

GLEINDINEE, ON OTEOL

LEGAL DESCRIPTION:

APN NO: 5634-025-202

PROJECT DATA:

PROJECT DESCRIPTION: NEW 3-UNIT APARTMENT

ZONE: R3050 LOT SHAPE: IRREGULAR

LOT AREA: 9,288 SQ.FT. (PER ASSESSOR MAP)

TYPE OF CONSTRUCTION:

OCCUPANCY: R-3/U

(E) SFD. SQ. FT: 1,193 SQ.FT. (PER ASSESSOR MAP)

**UNIT AREAS:** 

**UNIT A** 

 1ST FLOOR:
 696 SQ.FT

 2ND FLOOR:
 788 SQ.FT

 TOTAL:
 1,484 SQ.FT

ATTACHED GARAGE: 400 SQ.FT.

**UNIT B** 

 1ST FLOOR:
 640 SQ.FT

 2ND FLOOR:
 846 SQ.FT

 TOTAL:
 1,486 SQ.FT

ATTACHED GARAGE: 400 SQ.FT

UNIT C

 1ST FLOOR:
 639 SQ.FT

 2ND FLOOR:
 846 SQ.FT

 TOTAL:
 1,464 SQ.FT

ATTACHED GARAGE: 400 SQ.FT

F.A.R.:

FLOOR AREA RATIO ALLOWED: 65% OF LOT AREA = 6,037.2 SQ.FT.

FLOOR AREA RATIO PROVIDED: 60.89

 $1484 \text{ SQ.FT} + 1486 \text{ SQ.FT} + 1464 \text{ SQ.FT} + 1200 \text{ SQ.FT} = \underline{5,634 \text{ SQ.FT}}.$   $(5,652 \text{ SQ.FT}/9,288 \text{ SQ.FT}) \times 100 = 60.65\%$ 

LOT COVERAGE:

ALLOWED: MAX. 50% OF LOT AREA=4,644 SQ.FT.

PROPOSED LOT COVERAGE: 35.87%

3,332 SQ.FT.(FOOTPRINT OF FIRST FLOOR+GARAGE.)
3,332 SQ.FT. / 9,288 SQ.FT.x100= 35.8%

LANDSCAPE:

REQUIRED: 25%

 $9,288 \text{ SQ.FT} \times 0.25 = 2,322 \text{ SQ.FT}$ 

PROVIDED: 32.78%

 $(3,044.7 \text{ SQ.FT/9},288 \text{ SQ.FT}) \times 100 = 32.78$ 

# DESIGN TEAM:


# ARCHITECT:

EDWARD HAGOBIAN & ASSOC. INC. 220 S. KENWOOD ST. STE. #210 GLENDALE, CA. 91205 TEL: (818) 502-0590 armen@hagobianarchitects.net

# SURVEYOR:

FERRER & ASSOCIATES
LAND SURVEYING AND ENGINEERING
16388 COLIMA RD. #206 UNIT L
HACIENDA HEIGHTS, CA 91745
TEL: (626) 437-0038

# —PROJECT SITE



# VICINITY MAP:

# NOTES:

ALL INFORMATION REGARDING THE EXISTING CONDITIONS OF THE LOT, INCLUDING SLOPES, CONTOURS, PROPERTY LINES AND SIZES, TREES, SIDEWALK/STREET, LOCATION OF POWER POLES AND ITS RESTRICTED SPACES, EASEMENTS, DEDICATIONS AND OTHER INFORMATION ARE PREPARED BY THE SURVEYOR. THE ARCHITECT SHALL NOT BE HELD RESPONSIBLE FOR ACCURACY.

NO OAK, CALIFORNIA BAY, SYCAMRE TREES WERE FOUND ON THE SITE, NOR 20' BEYOND THE PROPERTY LINE.

# **SHEET INDEX:**

# ARCHITECTURAL:

A-00 COVER SHEET PROJECT INFO & DATA

A-1 SITE/SURVEY & PROPOSED SITE PLAN

A-1.1 SETBACK CALCULATIONS

A-2 FIRST & SECOND FLOOR PLAN

A-3 ROOF PLAN

A-4 ELEVATIONS

A-4.1 COLORED ELEVATIONS

A-5 SECTIONS


A-6 PERSPECTIVE

EDWARD HAGOBIAN

> ASSOC. INCORPORATED ARCHITECTS

ARCHITECTURE / SPACE PLANNING / INTERIORS

220 S. KENWOOD ST. STE. 210 GLENDALE CA. 91205 TEL: (818) 502-0590 FAX: (818) 502-0853



# PROJECT: KOTOLYAN UNITS

# **ADDRESS:**

1170 N KENILWORTH AVE GLENDALE, CA 91202

SHEET TITLE:

PROJECT INFO & DATA

# **ABBREVIATIONS:**

WO/ WITHOUT # NUMBER & AND APPROX. APPROXIMATE(LY) ARCH. ARCHITECT(URAL) BRG. BEARING BM. BEAM BLK. BLOCK BLKG. BLOCKING B.O. BOTTOM OF B.O.F. BOTTOM OF FOOTING BLDG. BUILDING CNTR. CENTER(ED) CLR. CLEAR(ANCE) COOL. COLUMN(S) CONC. CONCRETE CONT. CONTINUE(OUS) CONTR. CUBIC FOOT C.Y. CUBIC YARD DBL. DOUBLE DTL. DETAIL(S) DIAG. DIAGONAL DIA. DIAMETER DIM. DIMENSION(S) DN. DOWN EA. EACH (E) EXISTING ELEV. ELEVATION EQ. EQUAL EXP. EXPOSE(D) EXT. EXTERIOR FOS. FACE OF STUD FIN. FINISH FFE. FINISH FLOOR ELEVATION FLR. FLOOR	LAM. LDGR. LH. N. (N) N.I.C. N.T.S. O.C. OPNG. O.D. PAR. PARTN. PVMT. PERF. PLY. PT. PREFAB.	GAGE, GAUGE GALVANIZE(D) GLASS, GLAZIN GRADE BEAM GLUED LAMINA GYPSUM GYPBOARD HEADER HEATING/VENTI AIR CONDITION HEIGHT INCLUDE(D) (INC INSIDE DIAMETI INCHES INSULATE(D) (INI INSPECT (ING) (INI INTERIOR LENGTH LAMINATE(D) LEDGER LEFT HAND NORTH NEW NOT IN CONTRA NOT TO SCALE ON CENTER OPENING OUTSIDE DIAME PANEL PARALLEL PARTITION PAVEMENT PERFORATE PLYWOOD POINT PREFABRICATE PREFINISH(ED) PRESSURE TRE
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

REF. LVANIZE(D) ASS, GLAZING REQ. RADE BEAM REV. UED LAMINATED BEAM PBOARD EATING/VENTILATION SIM. CONDITIONING SPC. CLUDE(D)(ING) IDE DIAMETER STL. SULATE(D)(ING) STD. PECT(ING)(ION STRL ERIOR SYM. T.O. MINATE(D) T.O.CH. OGER FT HAND TOF. TOG. OT IN CONTRACT TOM. OT TO SCALE TOP. CENTER TOPL ENING JTSIDE DIAMETER TOSHTG. TOW. **RALLEL** TYP. RTITION **VEMENT** V.B. RFORATE VNR. YWOOD EFABRICATE(D) WD. W.I. ESSURE TREATED DOUGLAS FIR WM.

RAD.

**RADIUS** REFER(ENCE) REQUIRE(D) REVISE(ION) ROOFING ROOM SCHEDULE **SECTION** SPACE(R)(D)(ING) **SPECIFICATION SQUARE** STAGGER(ED) STEEL STANDARD STRUCTURAL SYMMETRICAL TOP OF TOP OF CHIMNEY TOP OF CONCRETE TOP OF CURB TOP OF FOOTING TOP OF GRADE TOP OF MASONRY **TOP OF PAVING** TOP OF PLATE **TOP OF SLAB** TOP OF SHEATHING TOP OF WALL **TYPICAL UNLESS NOTED OTHERWISE** VAPOR BARRIER **VENEER** WATERPROOFING WIDTH OR WIDE

WOOD

**WROUGHT IRON** 

**WIRE MESH** 


JOB NO.: 23-778


SCALE AS SHOWN

DRAWN BY: CS

DATE: OCTOBER, 2023

SHEET NO: **A-00** 





EDWARD 

> INGORPORATED arewiteets

ARCHITECTURE / SPACE PLANNING / INTERIORS


220 S. KENWOOD ST. STE. 210 GLENDALE TEL: (818) 502-0590 FAX: (818) 502-0853



SETBACK CALCULATIONS

23-778 AS SHOWN DRAWN BY: CS OCTOBER, 2023

SHEET NO: **A-1.1** 




EDWARD HAGOSIAN

> E ASSOO: INOORPORATED AROHITEOTS

HITECTURE / SPACE PLANNING / INTERIO

220 S. KENWOOD ST. STE. 210 GLENDALE CA. 91205 TEL: (818) 502-0590 FAX: (818) 502-0853



PROJECT:
KOTOLYAN UNITS


ADDRESS:


1170 N KENILWORTH AVE GLENDALE, CA 91202


SHEET TITLE:

FLOOR PLANS

Revisions:










ar@hite@ts ARCHITECTURE / SPACE PLANNING / INTERIORS

220 S. KENWOOD ST. STE. 210 GLENDALE CA. 91205 TEL: (818) 502-0590 FAX: (818) 502-0853



PROJECT: KOTOLYAN UNITS

# ADDRESS:

Revisions:

1170 N KENILWORTH AVE GLENDALE, CA 91202

# SHEET TITLE:

ROOF PLAN WINDOW/DOOR SCHEDULE

NO.	QUANTITY	(E) WIDTH x HEIGHT	(N) WIDTH x HEIGHT	(E) MATERIAL	(N) MATERIAL	VISIBLE FROM STREET Y/N	(N) OPERATION	NOTES	DOOR NO.	QUANTITY	(E) WIDTH x HEIGHT	(N) WIDTH x HEIGHT	(E) MATERIAL	(N) MATERIAL	VISIBLE FROM STREET Y/N	(N) OPERATION	NOTES
TERIOR	DOORS EX	CLUDING FF	RONT DOOR	W/GLAZING	(PER T-24 DOCUN		Factor = 0.30 SHGC = 0.23)	(T)=TEMPERED	EXTERIOF	R DOORS EX	CLUDING F	RONT DOOR \	W/GLAZING	(PER T-24 DOCUI		Factor = 0.30 SHGC = 0.23)	(T)=TEMPERED
FIRST FL	.OOR								SECOND	FLOOR							
<b>0</b> 1	1	N/A	3'-0"x7'-0"	N/A	WOOD/SOLID CORE	Υ	SOLID CORE WOOD FRONT DOOR W/ SECURITY LOCKSET AND SIDE LIGHT (T)		0	1	N/A	8'-0"x6'-8"	N/A	METAL	Υ	SLIDING GLASS DOOR W/ SECURITY LOCKSET (T)	
@	1	N/A	8'-0"x7'-0"	N/A	METAL	Υ	SLIDING GLASS DOOR W/ SECURITY LOCKSET (T)		2	1	N/A	6'-0"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	SLIDING CLOSET DOOR	
<b>③</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR		<b>Ø</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	OUT-SWING DOOR	
<b>@</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET		0	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
<b>©</b>	1	N/A	3'-0"x6'-8"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD DOOR W/ SECURITY LOCKSET	SELF-CLOSING SELFLATCHING 20MIN FIRE RATED	0	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
<b>©</b>	1	N/A	16'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	GARAGE DOOR	ZOWINY THE TWITED	0	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
0	1	N/A	3'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD DOOR W/ SECURITY LOCKSET	SELF-CLOSING SELFLATCHING 20MIN FIRE RATED	0	1	N/A	3'-0"x6'-8"	N/A	METAL	N	OUT-SWING GLASS DOOR W/ SECURITY LOCKSET (T)	
<u>@</u>	1	N/A	3'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD FRONT DOOR W/ SECURITY LOCKSET AND SIDE LIGHT (T)	ZOWINY THE TWITED	00	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR	
<b>@</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	OUT-SWING DOOR		<b>3</b> 0	1	N/A	3'-6"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	DOUBLE PANEL BIFOLD DOOR	
10	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	OUT-SWING DOOR		@	1	N/A	3'-0"x6'-8"	N/A	METAL	N	OUT-SWING GLASS DOOR W/ SECURITY LOCKSET (T)	
11	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET		3	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
12	1	N/A	3'-0"x6'-8"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD DOOR W/ SECURITY LOCKSET	SELF-CLOSING SELFLATCHING 20MIN FIRE RATED	<b>3</b> 4	1	N/A	7'-0"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	DOUBLE PANEL BIFOLD DOOR	
13	1	N/A	16'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	GARAGE DOOR		69	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
14	1	N/A	3'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD DOOR W/ SECURITY LOCKSET	SELF-CLOSING SELFLATCHING 20MIN FIRE RATED	<b>3</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR	
<b>1</b> 5	1	N/A	16'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	GARAGE DOOR		<b>Ø</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
10	1	N/A	3'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD DOOR W/ SECURITY LOCKSET	SELF-CLOSING SELFLATCHING 20MIN FIRE RATED	3	1	N/A	3'-0"x6'-8"	N/A	METAL	N	OUT-SWING GLASS DOOR W/ SECURITY LOCKSET (T)	
17	1	N/A	3'-0"x6'-8"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD DOOR W/ SECURITY LOCKSET	SELF-CLOSING SELFLATCHING 20MIN FIRE RATED	9	1	N/A	2'-8"x6'-8"	N/A	WOOD/SOLID CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
18	1	N/A	3'-0"x7'-0"	N/A	WOOD/SOLID CORE	N	SOLID CORE WOOD FRONT DOOR W/ SECURITY LOCKSET AND SIDE LIGHT (T)		40	1	N/A	6'-0"x6'-8"	N/A	METAL	N	SLIDING GLASS DOOR W/ SECURITY LOCKSET (T)	
19	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	OUT-SWING DOOR		40	1	N/A	3'-0"x6'-8"	N/A	METAL	N	OUT-SWING GLASS DOOR W/ SECURITY LOCKSET (T)	
0	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET		42	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
<b>1</b>	1	N/A	7'-0"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	DOUBLE PANEL BIFOLD DOOR		43	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR	
0	1	N/A	7'-0"x7'-0"	N/A	METAL	N	OUT-SWING DOUBLE DOOR		44	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR	
									45	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
									46	1	N/A	3'-0"x6'-8"	N/A	METAL	N	OUT-SWING GLASS DOOR W/ SECURITY LOCKSET (T)	
									47	1	N/A	6'-0"x6'-8"	N/A	METAL	N	SLIDING GLASS DOOR W/ SECURITY LOCKSET (T)	
									48	1	N/A	2'-8"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
									49	1	N/A	6'-0"x6'-8"	N/A	WOOD/ HOLLOW CORE	N	DOUBLE PANEL BIFOLD DOOR	
									60	1	N/A	2'-8"x6'-8"	N/A	WOOD/SOLID CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
									60	1	N/A	2'-8"x6'-8"	N/A	WOOD/SOLID CORE	N	IN-SWING DOOR W/ PRIVACY LOCKSET	
									<b>②</b>	1	N/A	2'-8"x6'-8"	N/A	WOOD/SOLID CORE	N	IN-SWING DOOR	
									63	1	N/A	6'-0"x6'-8"	N/A	METAL	N	SLIDING GLASS DOOR W/ SECURITY LOCKSET (T)	
									64	1	N/A	3'-0"x6'-8"	N/A	METAL	N	OUT-SWING GLASS DOOR W/ SECURITY LOCKSET (T)	

1170 N	KENILW	ORTH AVE	GLENDAI	LE CA 912													
WINDOW NO.	QUANTITY	(E) WIDTH x HEIGHT	(N) WIDTH x HEIGHT (OPENING SIZE)	(E) MATERIAL	(N) MATERIAL	VISIBLE FROM STREET Y/N	(E) OPERATION	(N) OPERATION	(N) FRAME TYPE	EXTERNAL GRID (SDL) Y/N	BUILD (N) SILL & FRAME Y/N	(E) EDGE DETAIL	BEDROOM Y/N	ENERGY EFFICIENT Y/N	TEMPERED GLASS Y/N	FIRE HAZARD ZONE Y/N	WINDOW WITHIN 18" OF FLOOR OR 24" OF DOOR
			RONT DOOR					TY" LINE. (PER T-24 D	OCUMENTS	<i>U-FACTOR</i> IS <i>i</i>	AT 0.30 & <i>SH</i>	GC @ 0.23					-
FIRST FL	OOR																
<b>\langle</b>	1	N/A	3'-0" x 7'-0"	N/A	VINYL	Υ	N/A	FIXED GLASS	BLOCK	N	Υ	NONE	N	Υ	Υ	N	YES WITHIN 18" OFF OF FLOO
<b>(</b>	1	N/A	3'-0" x 4'-0"	N/A	VINYL	Υ	N/A	FIXED GLASS	BLOCK	N	Υ	NONE	N	Υ	N	N	N
<b>\line{\chi}</b>	1	N/A	6'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	N	N	YES WITHIN 18" OFF OF FLOO
<b>\Phi</b>	1	N/A	5'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	н
<b>\bar{\bar{\bar{\bar{\bar{\bar{\bar{</b>	1	N/A	3'-6" x 8'-6"	N/A	VINYL	Y	N/A	FIXED GLASS SEE ELEVATION FOR DIVISION	BLOCK	N	Υ	NONE	N	Υ	N	N	н
<b>(</b>	1	N/A	3'-0" x 5'-0"	N/A	VINYL	Y	N/A	FIXED GLASS	BLOCK	N	Υ	NONE	N	Υ	N	N	п
\$	1	N/A	6'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	N	N	н
$\Leftrightarrow$	1	N/A	5'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	н
$\Diamond$	1	N/A	3'-6" x 8'-6"	N/A	VINYL	N	N/A	FIXED GLASS SEE ELEVATION FOR DIVISION	BLOCK	N	Υ	NONE	N	Υ	N	N	п
<b>\limits</b>	1	N/A	6'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	N	N	н
♦	1	N/A	5'-0" x 4'-0"	N/A	VINYL	N	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	п
<b>\lambda</b>	1	N/A	2'-6" x 4'-0"	N/A	VINYL	N	N/A	CASEMENT WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	п
♦	1	N/A	3'-6" x 8'-6"	N/A	VINYL	N	N/A	FIXED GLASS SEE ELEVATION FOR DIVISION	BLOCK	N	Υ	NONE	N	Υ	N	N	п
SECOND	FLOOR																
♦	1	N/A	4'-0" x 3'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	Υ	Υ	N	N	п
<b>\line\$</b>	1	N/A	2'-6" x 3'-0"	N/A	VINYL	Υ	N/A	CASEMENT WINDOW	BLOCK	N	Υ	NONE	Υ	Υ	N	N	п
<b>(</b>	1	N/A	6'-0" x 4'-0"	N/A	VINYL	Υ	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	Υ	Υ	N	N	п
<b>\line{\phi}</b>	1	N/A	5'-0" x 4'-0"	N/A	VINYL	Υ	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	Υ	Υ	N	N	п
♠	1	N/A	4'-6" x 3'-6"	N/A	VINYL	N	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	п
\$	1	N/A	2'-6" x 3'-6"	N/A	VINYL	Υ	N/A	CASEMENT WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	п
$\Diamond$	1	N/A	6'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	Υ	Υ	N	N	п
<b>\psi</b>	1	N/A	3'-6" x 4'-0"	N/A	VINYL	N	N/A	FIXED GLASS	BLOCK	N	Υ	NONE	N	Υ	N	N	п
<b>\$</b>	1	N/A	4'-6" x 3'-6"	N/A	VINYL	N	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	п
<b></b>	1	N/A	4'-6" x 3'-6"	N/A	VINYL	N	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	N	Υ	Y	N	п
♦	1	N/A	6'-0" x 4'-0"	N/A	VINYL	Y	N/A	TWO-PANEL SLIDING WINDOW	BLOCK	N	Υ	NONE	Υ	Υ	N	N	п
<b>♦</b>	1	N/A	4'-0" x 4'-0"	N/A	VINYL	N	N/A	FIXED GLASS	BLOCK	N	Υ	NONE	N	Υ	N	N	п
<b>\$</b>	1	N/A	3'-6" x 4'-0"	N/A	VINYL	N	N/A	FIXED GLASS	BLOCK	N	Υ	NONE	N	Y	N	N	п

# GLAZING NOTES:

- GLAZING IN THE FOLLOWING LOCATIONS SHALL BE SAFETY GLAZING CONFORMING TO THE HUMAN IMPACT LOADS OF SECTION R308.3 (SEE EXCEPTIONS) (R308.4):
- EXCEPTIONS) (1836.4).


  FIXED AND OPERABLE PANELS OF SWINGING, SLIDING AND BI-FOLD DOOR ASSEMBLIES.

  GLAZING IN AN INDIVIDUAL FIXED OR OPERABLE PANEL ADJACENT TO A DOOR WHERE THE NEAREST VERTICAL EDGE IS WITHIN A 24-INCH ARC OF EITHER VERTICAL EDGE OF THE DOOR IN A CLOSED POSITION AND WHOSE BOTTOM EDGE IS LESS THAN 60 INCHES ABOVE THE FLOOR OR WALKING SURFACE.


  GLAZING IN AN INDIVIDUAL FIXED OR OPERABLE PANEL THAT MEETS ALL OF THE FOLLOWING CONDITIONS:
- EXPOSED AREA OF AN INDIVIDUAL PANE GREATER THAN 9 SQ. FT. BOTTOM EDGE LESS THAN 18 INCHES ABOVE THE FLOOR. TOP EDGE GREATER THAN 36 INCHES ABOVE THE FLOOR. ONE OR MORE WALKING SURFACES WITHIN 36 INCHES HORIZONTALLY OF THE GLAZING.
- GLAZING IN GUARDS AND RAILINGS.
- GLAZING WHERE THE BOTTOM EXPOSED EDGE OF THE GLAZING IS LESS THAN 36 INCHES ABOVE THE PLANE OF THE ADJACENT WALKING SURFACE OF STAIRWAYS, LANDINGS BETWEEN FLIGHTS OF STAIRS AND RAMPS.
- GLAZING ADJACENT TO THE LANDING AT THE BOTTOM OF A STAIRWAY WHERE THE GLAZING IS LESS THAN 36 INCHES ABOVE THE LANDING AND WITHIN A 66 INCH HE AND AND THE LANDING HE BOTTOM TREAD NOSING(R304.2).
- ALL EXTERIOR WOOD DOORS SHALL BE OF SOLID CORE CONSTRUCTION WITH A MINIMUM THICKNESS OF 1% INCHES, OR WITH PANELS NOT LESS THAN  $\%_6$  INCH THICK.
- MAX. 0.75" THRESHOLD HEIGHT AT SLIDING DOORS AND MAX. 0.5" FOR OTHER DOORS. (CBC '07. 1008.1.4).
- GLAZING MANUFACTURER AND STYLE PER OWNER TO BE COORDINATED WITH ARCHITECT, AND SHALL MEET/EXCEED THE T-24 CALIFORNIA ENERGY EFFICIENT STANDARDS.
- ALL WINDOWS & EXTERIOR DOORS WITH GLAZING SHALL HAVE TEMP. GLASS & DUAL PANEL. THE NFRC TEMPORARY LABEL DISPLAYED ON WINDOWS AND SKYLIGHTS (INCL. TUBULAR) MUST REMAIN ON THE UNIT UNTIL FINAL INSPECTION HAS BEEN COMPLETED.

JOB NO.: 23-778
SCALE AS SHOWN
DRAWN BY: CS
DATE: OCTOBER, 2023


SHEET NO: A-3




# 1 EAST ELEVATION 3/16" = 1'-0"




 $\begin{array}{c}
SOUTH ELEVATION \\
\hline
3/16" = 1'-0"
\end{array}$ 



 $\begin{array}{c}
\hline
3 \\
\hline
3/16" = 1'-0"
\end{array}$ 








& ASSOO. INOORPORATED ARCHITECTS

ARCHITECTURE / SPACE PLANNING / INTERIORS

220 S. KENWOOD ST. STE. 210 GLENDALE CA. 91205 TEL: (818) 502-0590 FAX: (818) 502-0853



PROJECT:
KOTOLYAN UNITS

ADDRESS:

1170 N KENILWORTH AVE GLENDALE, CA 91202

SHEET TITLE: ELEVATIONS

Revisions:

JOB NO.: 23-778

SCALE AS SHOWN


DRAWN BY: CS

DATE: OCTOBER, 2023

ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE THE ORIGINAL UNPUBLISHED WORK OF THE ARCHITECT AND THE SAME MAY NOT BE DUPLICATED, USED, OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT.

SHEET NO: A-4











 $\begin{array}{c}
\hline
3 \\
\hline
3/16" = 1'-0"
\end{array}$ 






# EDWARD HAGOBIAA

& ASSOO: INOORPORATED ARCHITECTS

ARCHITECTURE / SPACE PLANNING / INTERIORS

220 S. KENWOOD ST. STE. 210 GLENDALE CA. 91205 TEL: (818) 502-0590 FAX: (818) 502-0853



# PROJECT: KOTOLYAN UNITS

# ADDRESS:

1170 N KENILWORTH AVE GLENDALE, CA 91202

SHEET TITLE:
COLORED ELEVATIONS

Revisions:


JOB NO.: 23-778

SCALE AS SHOWN

DRAWN BY: CS


OATE: OCTOBER, 2023

SHEET NO: A-4.1




SECTION A


3/16" = 1'-0"



2 SECTION B
3/16" = 1'-0"



3 SECTION C 3/16" = 1'-0"



SECTION D


3/16" = 1'-0"

EDWARD HAGOBIAA

& ASSO©. IN©ORPORATED AR©HITE©TS

ARCHITECTURE / SPACE PLANNING / INTERIORS

220 S. KENWOOD ST. STE. 210 GLENDALE CA. 91205 TEL: (818) 502-0590 FAX: (818) 502-0853



PROJECT: KOTOLYAN UNITS

ADDRESS:

1170 N KENILWORTH AVE GLENDALE, CA 91202

SHEET TITLE: SECTIONS

Revisions:


JOB NO.: 23-778

SCALE AS SHOWN

DRAWN BY: CS

DATE: OCTOBER, 2023

SHEET NO: **A-5** 



# LOCATION / ZONING

1170 Kenilworth Ave. Glendale, CA 91202


APN: 5634-025-202

Property Owner: A. KOTOLYAN
Prepared by Williams Land Use Services 818-542-4109

500' Radius



1"=200












































SUBJECT PROPERTY FRONTAGE





REAR OF HOUSE, BACKYARD

REAR OF BACK YARD

